

FIRESTAR

Aerial



Pre-Engineered to Save you Time and Money.
Unit shown may have optional equipment.



Designed for quick delivery, this unit is a base model with a wide variety of pre-packaged options. The Firestar Series, with pre-engineered options, can be designed to meet your department's needs.

Commercial Chassis

- » Four Door International 7400 Chassis
- » 310 Hp International Engine (Diesel)
- » 3000 Series Allison Automatic Transmission
- » 270 Amp Alternator
- » 18,000 lb. Front Axle
- » 30,000 lb. Rear Axle
- » ABS Braking System (Air)
- » Air Conditioning
- » Bench Seat (Front)
- » Seat Belt Warning System
- » Vehicle Data Recorder (VDR)

Price: \$ _____


Custom Chassis

- » Spartan Custom Chassis
- » 400 Hp Cummins ISL Engine
- » 3000 Series Allison Automatic Transmission
- » 270 Amp Alternator
- » 20,000 lb. Front Axle
- » 31,000 lb. Rear Axle
- » Engine Brake
- » Air Conditioning
- » Front Overhead Heater
- » SCBA Outboard Rear Seats
- » Seat Belt Warning System
- » Vehicle Data Recorder (VDR)
- » 24" Front Bumper Extension

Price: \$ _____

Body

- » Aluminum Body
- » 1500 GPM Single Stage Pump (Darley, Hale or Waterous)
- » Stainless Steel Plumbing
- » Electronic Governor/Gauge Package
- » 400 Gallon Poly Tank
- » Side Mount Pump Controls
- » Black Thermoplastic Pump Panel
- » One 6" Inlet Each Side
- » Two 2-1/2" Left Side Outlets
- » One 2-1/2" Right Side Outlet
- » One LDH Right Side Outlet
- » Rear Aerial Inlet/Pump Discharge
- » Two Crosslays
- » Aluminum Crosslay Cover
- » Side Stack Hosebed Right Side
- » Vinyl Hosebed Cover
- » Hinged Doors
- » Full Depth Side Compartments
- » 4" Reflective Stripe (White)
- » Chevron Style Reflective Striping (on the Rear Body Face)
- » Whelen LED Lower Light Package (Including Tail Lights)
- » Whelen LED Light Bar w/ Halogen Upper Rear Rotators
- » Whelen Siren Package
- » 78' Aerial Ladder (Three Sections)
 - > Rear Mounted Out and Down Outriggers
 - > Aerial Control Console on Left Side of Turntable
 - > Waterway with Air Operated Butterfly Valve
 - > Akron Electric Aerial Monitor & Nozzle
 - > 1000 GPM with 500 lb. Tip Load



OPTIONS

- | | | | |
|--|----------|--|----------|
| <input type="checkbox"/> Galvanized aerial sections | \$ _____ | <input type="checkbox"/> Hard suction package (two 6" x 10'; one 6" strainer) | \$ _____ |
| <input type="checkbox"/> Four SCBA compartments | \$ _____ | <input type="checkbox"/> Code 3 LED light package | N/C |
| <input type="checkbox"/> Alum. tool boards Qty: _____ x \$ _____ | \$ _____ | <input type="checkbox"/> Federal Signal LED light package | \$ _____ |
| <input type="checkbox"/> Adjustable shelves Qty: _____ x \$ _____ | \$ _____ | <input type="checkbox"/> Two 500 12-volt telescoping flood lights | \$ _____ |
| <input type="checkbox"/> Slide-out trays Qty: _____ x \$ _____ | \$ _____ | <input type="checkbox"/> Honda 5 kW generator (with two 500 Watt telescoping lights) | \$ _____ |
| <input type="checkbox"/> Roll-out tool boards Qty: _____ x \$ _____ | \$ _____ | <input type="checkbox"/> Smart Power 8 kW hydraulic generator (with two 500 Watt telescoping lights, 4-plex outlet and load center) | \$ _____ |
| <input type="checkbox"/> Swing-out tool boards Qty: _____ x \$ _____ | \$ _____ | <input type="checkbox"/> Green Star ABP two-battery system | \$ _____ |
| <input type="checkbox"/> Roll-out/tilt down trays Qty: _____ x \$ _____ | \$ _____ | <input type="checkbox"/> Cold weather package (heat pan and pump comp. heater) | \$ _____ |
| <input type="checkbox"/> Compartment vents | \$ _____ | <input type="checkbox"/> Air compressor (with battery charger and auto eject) | \$ _____ |
| <input type="checkbox"/> Breathing air system | \$ _____ | <input type="checkbox"/> Air horns | \$ _____ |
| <input type="checkbox"/> Wheel trim package | \$ _____ | <input type="checkbox"/> Equipment package (includes one 35' three-section extension ladder, one 14' combo ladder, one 24' two-section extension ladder, one 10' folding attic ladder, two 16' roof ladders) | \$ _____ |
| <input type="checkbox"/> Roll-up doors | N/C | <input type="checkbox"/> Apparatus color: <input type="checkbox"/> Red <input type="checkbox"/> White | N/C |
| <input type="checkbox"/> Hosebed dividers Qty: _____ x \$ _____ | \$ _____ | <input type="checkbox"/> Custom single tone color (color code: _____) | \$ _____ |
| <input type="checkbox"/> Pump Choices: <input type="checkbox"/> Hale <input type="checkbox"/> Darley <input type="checkbox"/> Waterous | N/C | <input type="checkbox"/> Two tone paint (upper is white; lower code: _____) | \$ _____ |
| <input type="checkbox"/> Foam Pro 1600 foam system (with 20 gallon tank) | \$ _____ | <input type="checkbox"/> Lettering | \$ _____ |
| <input type="checkbox"/> Foam Pro 2001 foam system (with 20 gallon tank) | \$ _____ | <input type="checkbox"/> Reflective Striping | |
| <input type="checkbox"/> Foam Pro 2002 foam system (with 20 gallon tank) | \$ _____ | <input type="checkbox"/> 4" S design | \$ _____ |
| <input type="checkbox"/> Rosenbauer EZ Foam | \$ _____ | <input type="checkbox"/> 6" S design | \$ _____ |
| <input type="checkbox"/> One 2-1/2" right side gated suction | \$ _____ | <input type="checkbox"/> 4" Z design | \$ _____ |
| <input type="checkbox"/> Additional 2-1/2" left side discharge | \$ _____ | <input type="checkbox"/> 6" Z design | \$ _____ |
| <input type="checkbox"/> Additional 2-1/2" right side discharge | \$ _____ | <input type="checkbox"/> Special Striping | \$ _____ |
| <input type="checkbox"/> Extended bumper with 1-3/4" preconnect | \$ _____ | | |
| <input type="checkbox"/> 6" front suction (with bumper extension) | \$ _____ | | |
| <input type="checkbox"/> 2-1/2" crosslay | \$ _____ | | |
| <input type="checkbox"/> Upgrade third party pump test to the ULC package | \$ _____ | | |

Total Options Cost: \$ _____

Prices valid through 12/31/11



South Dakota Division
100 Third Street
Lyons, SD 57041
605.543.5591

Minnesota Division
5181 260th Street
Wyoming, MN 55092
651.462.1000

Aerials Division
870 South Broad Street
Fremont, NE 68025
402.721.7622

Sales Division
605.543.5591
info@rosenbaueramerica.com