

Shop Order

Rosenbauer America

Timberwolf Demo #13

**Sales Rep:**

In-House: J. Vossen

**Drawing #:**

**Est. Delivery Date:** / /

**Customer PO #:**

**Customer #:**

**QPF #:**

**Terms:**

**Penalty:**

**Quote No:** 10061-0004

**Job/Order No:** 3173

05/12/2010

Page 1

PART NO	S	QTY	DESCRIPTION
		1	== General Timberwolf Bid Prep Forms - 531.080 05/31/09 ==
00-00-1499		1	Overall Height Restriction, NONE
00-00-1509		1	Overall Length Restriction, NONE
00-00-1519		1	Overall Width Restriction, NONE
00-00-1529		1	Wheelbase Restriction, NONE
00-12-1100		1	Financial Stability Response
01-06-0650		1	Performance Testing, Tilt Angle, BR
		1	== General Timberwolf Warranties-BR - 531.080 05/31/09 ==
02-14-0150		1	=== Warranty, General Alum Bdy & Subframe - BR ===
01-16-0150		1	-- Warranty, Apparatus, Bumper to Bumper, 1 Year, BR
01-19-0460		1	-- Warranty, Bdy, Alum, 20 Years, Transferable, BR
01-19-2450		1	-- Warranty, Subframe, 20 Year Alum, Transferable, BR
01-20-0360		1	-- Warranty, Paint, PPG, 7 Years, General, BR
02-14-5210		1	=== Pump Warranty (Rosenbauer Default) - BR ===
01-17-0850		1	-- Pump Warranty, Rosenbauer, BR
02-14-6250		1	Plmbg Warranty, Stnls Stl, 10 Years, BR
02-15-0200		1	=== Bdy Mnls (No Electronic Internet Service) BR ===
01-33-3100		1	-- Mnls, Bdy Complete, 1 Set Printed With CD, BR
02-90-1500	S < >	1	International 7400 4-Dr 315HP 35000GVW Alum Whls AC 201"WB
			<b>SHOP NOTE:</b>
			White over Red
		1	== General Timberwolf SA Chassis Modifictns - 531.080 05/31
10-01-1100	>	1	Vehicle Dimensions, Sngl Axle
10-02-1100		1	Label, Data, Fluid Levels
10-02-1200		1	Label, Data, Height x Length, Weight
10-02-1300		1	Label, Data, "No Ride" Rr Step
10-02-2100		1	Label, Indicating Number of Seats
10-02-2500		1	Label, "Caution: Do Not Wear Helmet While Seated"
10-03-1230	>	1	Chassis Preparation, Comm, 4 Door, Tmbrwlf/Airwlf
10-03-6500		1	Tow Plates (2), Rr Frame Rail, Under Rr Bdy, Tmbrwlf/Airwlf
80-43-2400		1	-- Painting, Tow Plates, Blk
10-04-2236		1	Bumper Ext, 20", IH, By Bdy Bldr

PART NO	S	QTY	DESCRIPTION
10-04-2344		1	-- Bumper Gravelshield, 20", By Bdy Bldr
10-04-3570		1	Bumper, Flat Style, Plshd Stnlss Stl Cladding, Tmbrwlf
10-06-1110		1	Whl Trim, S/S Hub/Lug Cvr, Front/Rr, Sngl Axle
10-06-1600		1	Tire Pressure Indicator (Sngl Axle)
10-07-2110		1	Exhaust, Vert, With Chs, Navistar
10-08-1100		1	Mud Flaps, Front Whls, w/ Chassis
10-08-2100		1	Mud Flaps, Rr Whls, Blk, w/ Bdy
10-10-0800	>	1	Cab Step Overlay, 4 Dr LH Side w/Compt
10-10-0900	>	1	Cab Step Overlay, 4 Dr RH Side w/Compt
		1	== General Timberwolf Pump&Plumbing - 531.080 05/31/09 ==
20-27-1210	< >	1	-- Pump, Rosenbauer, NH40-1000 GPM, NPHP, PTO - Tmbrwlf
			<b>SHOP NOTE:</b> --LCS Controls--
20-27-6200		1	-- Primer, Rosenbauer, Automatic
20-28-3410		1	-- Pump Shift, Rosenbauer, PTO, Pump and Roll, Tmbrwlf/Airwlf
20-28-4010		1	-- Supply Valve, High Pressure, Elec
21-00-3250		1	-- Piping, Stnls Stl - Up to 1000 GPM *
21-01-5600		1	-- Intk Manifold, Stnls Stl
21-01-6600		1	-- Dschg Manifold, Stnls Stl
21-01-7300		1	-- Painting, Pump & Piping, Unpainted
21-01-8100		1	-- Threads, National Hose (NST)
22-04-3310		1	-- Intk, Ungated, 6", Rr Center - Tmbrwlf
22-41-5700		1	-- Cap, 6", Chrome Long Hndl
22-51-8810		1	-- Tank-To-Pump, Water Tank, 4", NH Series, General
23-02-1210		1	-- Tank Fill/Cooling Line, Water Tank, 1-1/2", Tmbrwlf/Airwlf
25-08-2240	<	1	-- Foam Capability, NP-FIXMIX & HP-FIXMIX - Tmbrwlf
			<b>SHOP NOTE:</b> A Rosenbauer Fix Mix plumbed to allow foam on all high pressure and normal pressure discharges.
25-08-1210	< >	1	-- Foam System, RBA, NP-FIXMIX - Tmbrwlf
			<b>SHOP NOTE:</b> A Rosenbauer Fix Mix automatic foam proportioning system shall be provided and direct mounted to the water pump.  Controls for the foam system shall be provided on the pump panel and in the cab.  When a bumper turret is required, proper switching shall be provided in the cab for operation of high pressure water to the turret within reach of the Driver and Officer.
25-08-1306		1	-- NP-FIXMIX, Dual Rate, Pneumatic
25-08-1322		1	-- Proportioning Rate, NP-FIXMIX, 1%
25-08-1324		1	-- Proportioning Rate, NP-FIXMIX, 3%
25-08-1220	< >	1	-- Foam System, RBA, HP-FIXMIX - Tmbrwlf
			<b>SHOP NOTE:</b> A Rosenbauer Fix Mix automatic foam proportioning system shall be provided and direct mounted to the water pump.  Controls for the foam system shall be provided on the pump panel and in the cab.  When a bumper turret is required, proper switching shall be provided in the cab for operation of high pressure water to the turret within reach of the Driver and Officer.
25-08-1310		1	-- HP-FIXMIX, Foam Supply
25-08-1332		1	-- Proportioning Rate, HP-FIXMIX, 1%
25-20-1090		1	-- Foam Plmbg, HP-FIXMIX, Class A

PART NO	S	QTY	DESCRIPTION
25-09-1100		1	-- Remote Foam Activation Swtch and Lt
25-20-1500		1	-- Foam Plmbg, Sngl Class A Tank, 1" Mnl Vlv - Tmbrwlf
25-20-1100		1	-- Foam Plmbg, Strainer, Removable
25-21-1510		1	-- Foam Tank, Intgrl Poly, 30 Gal, Class A - Tmbrwlf
25-22-9300		1	-- Foam Tank, UPF
25-23-1000		1	-- Foam Tank Drain, 1" Gate Vlv, Under Tank
27-10-5000		1	-- Pressure Gvrnr, Rosenbauer, LCS, Tmbrwlf
27-01-1500		1	-- Mstr Gauges, Noshok, 4" PSI, Pr
27-01-4100	>	1	-- Gauge, Test Taps
27-03-1600		1	-- Gauge, Dschg, 2-1/2" 600#, High Pressure Pumps
27-03-1800	>	1	-- Gauge, Dschg, Digital, In Cab, Pump and Roll
27-21-1100		1	-- Engine Mntr, FRC, TachPro, Pump Panel
27-35-4010		1	-- Water Tank Gauge, IC, 14-LED, Pump Panel, Tmbrwlf/Airwlf
27-35-4200		1	-- Water Level Display, IC, 5-LED, Mini, In-Cab
27-36-5002		1	-- Foam Tank Gauge, IC, 14-LED, Class A, Pump Panel, Tmbrwlf
27-36-5200		1	-- Foam Tank Gauge, IC, 5-LED, Class A, Mini, In-Cab
20-30-3400		1	-- Pump Instln, Rr Mt PTO, By Bdy Bldr
20-31-1000		1	Fire Pump Testing - Pumpers/Tankers
20-31-1100		1	-- Pump Test, Pumper, UL
20-31-1500		1	-- Pump Test, Label
20-31-3200		1	Dump-Relief Vlv, Suction Side, ELK #240
20-31-4700		1	Pump Cooler, Rosenbauer, Thermal
20-31-5200		1	Heat Exchanger, Engine, Complete
22-30-1110	>	1	Intk, Gtd, 2-1/2", Left Rear, Rr Mt - Tmbrwlf/Airwlf
22-41-1100		1	-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain
24-62-1258		1	-- Vlv Mfger, AKR, 8000, (2-1/2"), Mnl Swg Cntrl Only
22-55-4050		1	-- Intk Vlv Cntrl, AKR, Mnl Swing Type-Adjacent
23-14-1610		1	Dschg, 1", Frnt & Rr Ground Sweeps, Sngl Vlv - Tmbrwlf/Airwlf
23-14-1660		1	-- Dschg, 1", Ground Sweeps, Plumbed High Pressure
23-14-9120		1	Pkg, Bumper Monitor & (1) Front Bumper Crosslay, Tmbrwlf
23-14-2510	>	1	-- Dschg, 1-1/2", Front RH Bumper Monitor, Tmbrwlf
23-14-2560		1	-- Dschg, 1-1/2", Front Bumper Monitor, Plumbed High Pressure
24-17-2120	< >	1	-- Mntr, TFT, Frnt Bmpr, Elec, B-TOS-ERP Nozzle, Tmbrwlf
			<b>SHOP NOTE:</b>
			Must have air blow out.
23-14-3110	>	1	-- Dschg, 1-1/2" Frnt Bmpr Crosslay, Tmbrwlf/Airwlf
10-04-2560	>	1	-- Bumper Crosslay Hosebed, Full Width, (1) 150' 1-3/4", Twlf
23-16-2900		1	-- Crosslay/Speedlay, Equipment Securement, NFPA
23-16-3300		1	-- Crosslay Cvr, Vinyl, Top and Sides
21-01-2202		2	-- Dschg Bleeder, Class 1, Automatic - Spec Only
24-61-1225		1	-- Vlv Mfger, AKR, 8000, (2"), KZCO Electric
24-53-6200		1	-- Vlv Cntrl, AKR, 2.0" Elec, KZCO
27-02-1500	>	1	-- Gauge, Dschg, Noshok, 2-1/2" 400#, WF
23-20-2110		1	Dschg, 2-1/2", Rr Cntr Pmp Pnl, Left Side, Tmbrwlf/Airwlf
21-01-2302		1	-- Dschg Bleeder, Class 1, Mnl 1/4 Turn - Spec Only
24-02-1202		1	-- Elbow, Flange x 2-1/2"M, Chrome
24-03-1400		1	-- Cap, 2-1/2", Chrome, Rocker Lug, w/Chain
24-61-1252		1	-- Vlv Mfger, AKR 8000, 2-1/2", Mnl Swng Type-Adj, Twlf
24-53-0820		1	-- Dschg Vlv Cntrl, AKR, Mnl Swing Type-Adj, TS-7
27-02-1500	>	1	-- Gauge, Dschg, Noshok, 2-1/2" 400#, WF
23-20-2310		1	Dschg, 2-1/2", Rr Cntr Pmp Pnl, Right Side, Tmbrwlf/Airwlf
21-01-2302		1	-- Dschg Bleeder, Class 1, Mnl 1/4 Turn - Spec Only
24-02-1202		1	-- Elbow, Flange x 2-1/2"M, Chrome
24-03-1400		1	-- Cap, 2-1/2", Chrome, Rocker Lug, w/Chain
24-61-1252		1	-- Vlv Mfger, AKR 8000, 2-1/2", Mnl Swng Type-Adj, Twlf
24-53-0820		1	-- Dschg Vlv Cntrl, AKR, Mnl Swing Type-Adj, TS-7

PART NO	S	QTY	DESCRIPTION
27-02-1500	>	1	-- Gauge, Dschg, Noshok, 2-1/2" 400#, WF
23-20-2610		1	Dschg, 2-1/2", Left Rear Upper Face, Tmbrwlf/Airwlf
21-01-2302		1	-- Dschg Bleeder, Class 1, Mnl 1/4 Turn - Spec Only
24-01-2400		1	-- Adptr, Reducing, 2-1/2"F x 1-1/2"M, Chrome
24-03-1200		1	-- Cap, 1-1/2", Chrome, Rocker Lug, w/Chain
24-61-1252		1	-- Vlv Mfger, AKR 8000, 2-1/2", Mnl Swng Type-Adj, Twlf
24-53-0820		1	-- Dschg Vlv Cntrl, AKR, Mnl Swing Type-Adj, TS-7
27-02-1500	>	1	-- Gauge, Dschg, Noshok, 2-1/2" 400#, WF
23-20-1600	< >	1	Dschg, Speedlay, 2-1/2", Right Rear Face, Tmbrwlf
			<b>SHOP NOTE:</b>
			ATTENTION:
			The depth of the right side compartment behind the rear wheels will be reduced to 12" for the ENTIRE height of the compartment with the selection of this option!!!
21-01-2302		1	-- Dschg Bleeder, Class 1, Mnl 1/4 Turn - Spec Only
24-01-2400		1	-- Adptr, Reducing, 2-1/2"F x 1-1/2"M, Chrome
24-61-1252		1	-- Vlv Mfger, AKR 8000, 2-1/2", Mnl Swng Type-Adj, Twlf
24-53-0820		1	-- Dschg Vlv Cntrl, AKR, Mnl Swing Type-Adj, TS-7
27-02-1500	>	1	-- Gauge, Dschg, Noshok, 2-1/2" 400#, WF
24-30-3024	>	1	=== Pntd Steel Elec Rwnd Hose Reel - Two Lctns - Tmbrwlf ===
24-30-3310	>	1	-- Hose Reel, HAN, LH Under Cab Cmpt, Elec, Stl Pntd - Tmbrwlf
10-04-2600		1	-- Bumper Cmpt, Left, Battery Compt, Tmbrwlf/Airwlf
10-04-2930		1	-- Bumper Cmpt, Right, Battery Compt, Tmbrwlf/Airwlf
24-31-2100		1	-- Hose Reel, Rwnd Cntrl, Weatherproof Push Button
24-32-1210		1	-- Dschg, Hose Reel, 1", Class 1 Valve
24-32-1800		1	-- Dschg, Hose Reel, Plmbd to High Pressure
24-33-1300		1	-- Hose, Water, 800#, 3/4" x 150', 50' Lengths
24-33-9600	>	1	-- Roller, Hose Reel, Captive, Four Sided
24-30-3410	>	1	-- Hose Reel, HAN, RH Under Cab Cmpt, Elec, Stl Pntd - Tmbrwlf
24-31-2100		1	-- Hose Reel, Rwnd Cntrl, Weatherproof Push Button
24-32-1210		1	-- Dschg, Hose Reel, 1", Class 1 Valve
24-32-1800		1	-- Dschg, Hose Reel, Plmbd to High Pressure
24-33-1300		1	-- Hose, Water, 800#, 3/4" x 150', 50' Lengths
24-33-9600	>	1	-- Roller, Hose Reel, Captive, Four Sided
80-43-1600		2	-- Painting, Hose Reel, Silver Grey
		1	== General Timberwolf Pump Cmpt - 531.080 05/31/09 ==
26-40-1600		1	Pump Enclsr, Specs, Tmbrwlf/Airwlf
26-40-2500		1	Pump Panel Lctn, TimberWolf, Rr Center
26-40-4100		1	-- Pump Cntrl Panel Enc Door, Rr Mt, Rr Center, Roll Up
26-56-1460	S <	1	-- Pump Panel Lt, Rr Mt, Three (3) Grote Strip LEDs, Tmbrwlf
			<b>SHOP NOTE:</b>
			Use three (3) LED Grote strip lights for the pump panel.
26-40-3110		1	Pump Cntrl Panel, Rr Mt Stnls Stl, Tmbrwlf
26-40-5500		1	Pump Access Panels, Rr Mt, Side Cmpts Bhnd Rr Whls
26-55-1100		1	Labels, Test Data and Safety Placards
26-55-2410		1	Labels, IC Color Coded, General
27-37-3010	>	1	Air Blow Out, Tmbrwlf/Airwlf
		1	== General Timberwolf 750 Gal Long Body - 531.080 05/31/09
25-28-1362		1	Water Tank, 750 Gal, Poly, T-Tank, Tmbrwlf/Airwlf
25-42-1100	>	1	-- Water Tank, Base Specs, Poly
25-42-1200		1	-- Water Tank, UPF, Base Specs, Poly
01-18-0450		1	-- Warranty, Water Tank, UPF, BR
25-44-1700		1	-- Water Tank, Fill Tower, 10" x 10", General
25-50-0500		1	-- Tank Drains, General
25-50-1400		1	-- Water Tank Clean-out & Plug, 3"

PART NO	S	QTY	DESCRIPTION
25-50-2510	< >	1	Direct Tank Fill, 2-1/2" AKR, Right Rr, KZCO Elec, Tmbrwlf <b>SHOP NOTE:</b> Mounted on right side low as possible.
24-53-6300		1	-- Vlv Cntrl, AKR, 2.5" Elec, KZCO
29-00-2400	>	1	Hosebed, Pmpr, <168" L, HD, 71" Wide - MN
29-10-1050		1	Hosebed, Grating, Extrd Alum, <168" Long - MN
29-10-5020		1	Hosebed Storage Cpcty, General
29-10-5090		1	-- Hosebed, Strge Cpcty, 30 Cubic Feet, Minimum
29-10-8150		1	Hosebed, Divider, 1/4" Alum, General
29-10-8550		1	Hosebed, Partition, Front of Hosebed, > 48" - MN
29-20-2000	>	1	Hosebed Cvr, Vinyl, <180" L, <74" W, Velcro
30-01-2040		1	Bdy Const - General Extrd Alum - SA Timberwolf
30-01-2250		1	-- Electrolysis Corrosion Cntrl
30-10-1510	>	1	-- Sub-Frame, Alum, SA Tmbrwlf, General
44-05-1100		1	-- Whl Well Panel, Alum T/P, Sngl Axle
44-06-4320		1	-- Fenderette, Polished Stainless Steel, General
31-01-7020		1	100" OAW, Full Dpth Ahd Rr Whls & Half Dpth Ovrwhls, Tmbrwlf
31-01-7354	< >	1	SafeStep, Roll Up Drs, Outside Cmpt, Tmbrwlf, 160" Bdy <b>SHOP NOTE:</b> Safe-Steps for L1 & R1.
30-02-1700		1	-- Drs, Roll-Up/Safe Step, Outside Cmpt, Specs, General
30-02-1250	< >	7	-- Dr Strap, Pull Down <b>SHOP NOTE:</b> Enter correct quantity.
30-02-1780		1	-- Finish, Safe Step, Mirror Stainless, Specs, General
30-02-1900		1	-- Side Body Header, Tread Plate, General
31-01-7300		1	-- Bdy, General HD Extrd Alum, Timberwolf, 160"
32-05-4079		1	-- Cmpt Height, 79" High Left, High Side, RU Drs
32-05-6260		1	-- Ahd Rr Whls-44" Full Ht Cmpt-Roll Up Outside Cmpt
45-00-4425		1	-- Ahd Rr Whls, Left, Cmpt Provisions, General
44-40-1020		1	-- Vents, Compts, Louvers (Ea)
45-02-4100		1	-- Shelf, Adjust, Alum 3/16", General
55-01-3285		1	-- Cmpt Lt, Wall, OSS Night Stik, 45" LED Tube Lt, (2) Ea Cmpt
55-06-1400		1	-- Cmpt Lt, Dr Swtch, Magnetic, Ea
32-05-7036		1	-- Abv Rr Whls-52" Sngl Cmpt, No Hyd Rack-RU Outside Cmpt
45-00-4505	>	1	-- Upr Hgh Sde Cmpt(s), Left, Cmpt Provisions, General
44-40-1020		1	-- Vents, Compts, Louvers (Ea)
55-01-3270		1	-- Cmpt Lt, Wall, OSS Night Stik, 27" LED Tube Lt, (2) Ea Cmpt
55-06-1400		1	-- Cmpt Lt, Dr Swtch, Magnetic, Ea
32-05-8060	S <	1	-- Bhd Rr Whls-48" Full Ht Cmpt-Roll Up Outside Cmpt <b>SHOP NOTE:</b> 48" wide cmpt
45-00-4625		1	-- Bhd Rr Whls, Left, Cmpt Provisions, General
44-40-1020		1	-- Vents, Compts, Louvers (Ea)
55-01-3285		1	-- Cmpt Lt, Wall, OSS Night Stik, 45" LED Tube Lt, (2) Ea Cmpt
55-06-1400		1	-- Cmpt Lt, Dr Swtch, Magnetic, Ea
32-06-4079		1	-- Cmpt Height, 79" High Right, High Side, RU Drs
32-06-6260		1	-- Ahd Rr Whls-44" Full Ht Cmpt-Roll Up Outside Cmpt
45-00-5415		1	-- Ahd Rr Whls, Right, Cmpt Provisions, General
44-40-1020		1	-- Vents, Compts, Louvers (Ea)
45-02-4100		1	-- Shelf, Adjust, Alum 3/16", General
55-01-3285		1	-- Cmpt Lt, Wall, OSS Night Stik, 45" LED Tube Lt, (2) Ea Cmpt
55-06-1400		1	-- Cmpt Lt, Dr Swtch, Magnetic, Ea

PART NO	S	QTY	DESCRIPTION
32-06-7050		1	-- Abv Rr Whls-52" Sngl Cmpt w/o Hyd Rack-RU Outside Cmpt
45-00-5505	>	1	-- Upr Hgh Sde Cmpt(s), Right, Cmpt Provisions, General
44-40-1020		1	-- Vents, Compts, Louvers (Ea)
55-01-3270		1	-- Cmpt Lt, Wall, OSS Night Stik, 27" LED Tube Lt, (2) Ea Cmpt
55-06-1400		1	-- Cmpt Lt, Dr Swtch, Magnetic, Ea
32-06-8060	S <	1	-- Bhd Rr Whls-48" Full Ht Cmpt-Roll Up Outside Cmpt
			<b>SHOP NOTE:</b> 48" wide cmpt
45-00-5615		1	-- Bhd Rr Whls, Right, Cmpt Provisions, General
44-40-1020		1	-- Vents, Compts, Louvers (Ea)
55-01-3285		1	-- Cmpt Lt, Wall, OSS Night Stik, 45" LED Tube Lt, (2) Ea Cmpt
55-06-1400		1	-- Cmpt Lt, Dr Swtch, Magnetic, Ea
33-60-2610	>	1	Rr Bdy, 30 Degree Departure Angle, Tmbrwlf/Airwlf
32-08-5202		1	-- Rr Center Cmpt - Full Height/Non Trans
44-30-1850		1	-- Roof Access Ladder, Alum Tubing, Fold-Up, Left Rr
44-35-2200	S <	1	-- High Angle of Departure Cmpts, Left Side Only, Tmbrwlf/Airwl
			<b>SHOP NOTE:</b> Left Side Only - Foam Pro pump shall be installed in this compartment.
44-40-1020		1	-- Vents, Compts, Louvers (Ea)
44-11-5160		1	Whl Well Cmpt, Ahd of Whls Left Side, Tmbrwlf/Airwlf
44-10-1100	< >	1	-- Whl Well Cmpt, Sngl SCBA Tube, Alum Dr
			<b>SHOP NOTE:</b> Specify the following: Brand: Model: Size:
44-11-5360		1	Whl Well Cmpt, Bhd Whls Left Side, Tmbrwlf/Airwlf
44-10-1100	< >	1	-- Whl Well Cmpt, Sngl SCBA Tube, Alum Dr
			<b>SHOP NOTE:</b> Specify the following: Brand: Model: Size:
44-11-5560		1	Whl Well Cmpt, Ahd of Whls Right Side, Tmbrwlf/Airwlf
44-10-1100	< >	1	-- Whl Well Cmpt, Sngl SCBA Tube, Alum Dr
			<b>SHOP NOTE:</b> Specify the following: Brand: Model: Size:
44-11-5760		1	Whl Well Cmpt, Bhd Whls Right Side, Tmbrwlf/Airwlf
44-10-1100	< >	1	-- Whl Well Cmpt, Sngl SCBA Tube, Alum Dr
			<b>SHOP NOTE:</b> Specify the following: Brand: Model: Size:
		1	== General Timberwolf Common Body Parts - 531.080 05/31/09
33-70-2100		1	Handrails, Pmpr, Below Hosebed, Horz, 48"
33-70-3110		1	Handrails, Pmpr, Left Top of Bdy Side, Rr, 12", Single
44-01-1400		1	Bdy Trim, Frnt Bdy, Ht of Side Cmpts, Alum T/P

PART NO	S	QTY	DESCRIPTION
44-01-4020		1	Bdy Trim, Rr Bdy, Smooth Alum for Chevron Stripe, General
44-02-1120	>	1	Rub Rails, Lwr Bdy, General Extrd Alum
		1	== General Timberwlf - DC Electrical System - 531.080 05/31
50-09-3100	>	1	Elecal, Base, Rosenbauer LCS - Tmbrwlf/Airwlf
55-11-1300		1	-- Dr Open/Hazard Wrn Lt, Flashing LED Red Lens
50-12-1550		1	Electrical Console, In Cab, Rosenbauer LCS, Tmbrwlf/Arwlf
50-15-1100		1	Batteries, With Supl'd Chs
50-15-3100		1	Battery Swtch , Mstr Disconnect, w/Chassis
50-15-3410		1	Ignition Swtch , Keyless, w/Chassis
50-15-7800		1	Battery Chrgr/Comp, KUSS, Pump Plus 1200
50-20-1500	>	1	Shore Power Inlet, KUSS Super Auto-Eject 20A
50-20-1124		1	-- Shore Power Inlet Below Left Front Cab Door, Commerical
50-42-2000	>	1	Air Horns, (2) Hood Mntd
50-43-2000		1	-- Air Horn Cntrl, Driver, Horn Ring, Air/Elec
51-05-1100	>	1	Dome Lt, Chassis Supl'd
51-05-6200		1	Lt, Engine Cmpt, 12 Volt LED With Swtch
52-01-1210	>	1	Back Up Alarm, General
52-41-1320		1	Seat Monitor Mini Display & VDR, Fire Research
52-41-1329		1	-- Monitor, Information Download, Computer
53-01-1200		1	Marker Lts, LED, DOT Requirements
53-02-1250		1	License Plate Brkt, Cast Prdts, LP0005-1 w/ LED Lt
53-03-0060		1	Whelen Rr DOT LED Ltng Pkg (4x6)
53-03-2600		1	-- Tail/Brake Lts, Whelen, LED, 4"x6"
53-04-2600		1	-- Turn Signals, Whelen, LED, 4"x6"
53-06-1500		1	-- Backup Lts, Whelen, Incan, 4"x6"
53-07-1200	>	1	-- Tail Lt Bezel, 4 Lts
53-05-1800		1	Turn Signals, Mid Bdy, 1-1/4" x 4" LED Marker Lt
54-02-1500		1	-- Ground Lts, Cab, 4 Door, LED
54-03-1400		1	-- Ground Lts, Mid Bdy, LED, Pair
54-03-1800		1	-- Ground Lts, Behind Rr Whls, LED, Pair
54-04-1999		1	-- Lt Swtch , Ground Lts w/ Park Brake
54-10-1100		2	Step Lt, Fxd /Fldg Step, Hooded, Ea
54-11-2100		1	Lt Swtch , Step/Wlkwy Lts Wired Park Brake Swtch
54-15-1360	>	6	Scene Lt, Whelen, Halogen, 7"x9", Opti-Scenelight
54-15-1400	<	6	-- Scene Lt, Bezel Stand Off, Straight
			<b>SHOP NOTE:</b>
			--Aluminum Casting
54-15-5500		2	-- Scene Lt Lctn, Left Side Of Bdy
54-15-5600		2	-- Scene Lt Lctn, Right Side Of Bdy
54-15-5700		2	-- Scene Lt Lctn, Rr Of Bdy
54-15-6100		1	-- Scene Lt Swtch , All Lts, Cab
54-15-6400		1	-- Scene Lt Swtch , Left Scene Lts, Cab
54-15-6500		1	-- Scene Lt Swtch , Right Scene Lts, Cab
54-15-6600		1	-- Scene Lt Swtch , Rr Scene Lts, Cab
54-15-6700		1	-- Scene Lt Swtch , Rr Scene Lts, Auto w/ Reverse
56-01-1300		1	Siren, Elect, Code 3 3692 V-Con
56-02-1200		1	-- Spkr, Cast Products, 100 Watt GS1004
56-03-1200		1	-- Spkr Lctn, Bumper, Rcsd, Left Side
		1	EMERGENCY LIGHTING PACKAGES
		1	WARNING LIGHTS - UPPER ZONES - TIMBERWOLF
57-02-1000		1	-- ==== Whelen Lt Bars - Long ====
57-02-1100	>	1	-- Lt Bar, Whelen, Ultra Freedom, #FN55VLED, LED, 55"
57-01-2000		1	-- ==== No Mini Lt Bar Above Rr Crew Doors - PTS ==
57-03-7090		1	-- ==== No Traffic Emitter - Pick to Select ====
57-03-7490		1	-- ==== No Steady Burn Red Lt - Pick to Select ====
		1	REAR FACING UPPER WARN LTS - UPPER ZONE C

PART NO	S	QTY	DESCRIPTION
58-71-1720		1	-- Wrn Lts, Whelen, Upper Rr (2) #900 S LED
58-01-1100	<	1	-- Bezels, Chrome, Wrn Lts (1 pair)
			<b>SHOP NOTE:</b>
			--Aluminum Casting
58-46-0999		1	-- === NO Upper Side Frnt Bdy Wrn Lts - PTS ===
58-61-1720		1	-- Wrn Lts, Whelen, Upper Side Rr (2) #900 S LED
58-01-1100	<	1	-- Bezels, Chrome, Wrn Lts (1 pair)
			<b>SHOP NOTE:</b>
			--Aluminum Casting
		1	WARNING LIGHTS - LOWER ZONES - TIMBERWOLF
58-03-1010		1	-- === Whelen LwrFront Wrn Lts (#600 Hlgn Default) ===
58-03-1520		1	-- Wrn Lts, Whelen, Low Frnt, (2) #600 S-LED
58-01-1100		1	-- Bezels, Chrome, Wrn Lts (1 pair)
		1	SIDE WARN LTS - LOWER ZONE B and ZONE D
58-09-1520		1	-- Wrn Lts, Whelen, Intrsct (2) #600 S-LED
58-01-1100		1	-- Bezels, Chrome, Wrn Lts (1 pair)
58-26-0100		1	-- === No Mid Bdy Lts Required - Distance is Under 25-ft ===
58-36-1520		1	-- Wrn Lts, Whelen, Low Rr Side (2) #600 SLED
58-01-1100		1	-- Bezels, Chrome, Wrn Lts (1 pair)
58-81-1520		1	-- Wrn Lts, Whelen, Low Rr (2) #600 S-LED
		1	== General Timberwlf - AC Electrical System - 531.080 05/31
		1	== General Timberwolf - Equipment Systems - 531.080 05/31/0
		1	== General SA Timberwolf - Pnt/Ltr/Str - 531.080 05/31/09 =
80-05-5210		1	Bdy Paint, Tmbrwlf, Sngl Color - MN
80-31-1200	>	1	Compt Finish, Natural, Up to 8 Cmpts
80-40-1250		1	Whl Finish, By Chassis Manufacturer
80-42-1500		1	Bdy Paint, Touch Up, 2 oz. Bttl, One Color
80-50-1800		1	Lettering, 4" Mylar Gold Leaf, 75 Letters
80-70-1300		1	Stripe, Sngl Reflective, 4", Straight Design
80-75-1600		1	-- Reflective Stripe Material, White
80-72-1100		1	Stripe, Reflective, Chevron Pattern Entire Rr
		1	== General Pmpr/Tnkr - Loose Equipment - 531.080 05/31/09 =
90-01-0300		1	Equipment Loading Allowance of 2000#
90-01-5900	>	1	Whl Chocks Pair Zico #SAC-44 Fldg w/ Mts