

Shop Order

Rosenbauer America

Sales Rep:
 Dealer: Smith/Davis
 In House: Smith/Davis

Terms:

Drawing #: P7494
Est. Delivery Date: / /
Customer PO #:
Customer #:
QPF #:

Penalty:

Exp. Date: 07/27/2019
Quote No: 1FDIC2020-0030
Job/Order No: 14913
 05/26/2020

PART NO	S	QTY	DESCRIPTION
		1	== EXT Pmpr/Tnkr Bid Prep Forms - 22.019 02/18/19 ==
		1	ROSENBAUER APPARATUS SOLUTIONS - RAS - February 2019
00-00-1499		1	Overall Height Restriction, NONE
00-00-1509		1	Overall Length Restriction, NONE
00-00-1519		1	Overall Width Restriction, NONE
00-00-1529		1	Wheelbase Restriction, NONE
00-00-1539		1	Angle of Approach, NFPA Minimum, 8 Degrees
00-00-1549		1	Angle of Departure, NFPA Minimum, 8 Degrees
00-00-1599		1	
		1	NFPA Equipment Allowances
00-00-1610		1	NFPA Pumper Equipment Allowance 2500#
00-12-1100		1	Financial Stability Response
01-06-0510		1	Calculated Center of Gravity
		1	== EXT Pmpr/Tnkr Warranties-BR - 22.019 02/18/19 ==
02-14-0150		1	=== Warranty, EXT Bdy & Subframe ===
01-16-0150	>	1	-- Warranty, Apparatus, Body Warranty, 1 Year
01-19-0460		1	-- Warranty, Bdy, Alum, Life-Time, Transferable
01-19-2450		1	-- Warranty, Subframe, Lifetime Alum, Transferable
01-20-0360		1	-- Warranty, Paint, PPG, 10 Years, EXT
01-21-0150		1	-- Warranty, Lettering and Striping, 1 Year
02-14-5110		1	=== Pump Warranty (Waterous Default) ===
01-17-0870		1	-- Pump Warranty, Rosenbauer, 5 Year
02-14-6250		1	Plmbg Warranty, Stnls Stl, 10 Years
01-33-3300		1	-- Mnls, Bdy Complete, CD Compact Disc Version
01-33-5400		1	-- Mnls, Elec, As Built Bdy, CD Compact Disc Version
02-90-0500	>	1	Chassis, Commander Cstm
		1	== EXT Pmpr/Tnkr - DC Elec System COMMANDERS ONLY - 22.019 02/18/19 ==
		1	EMERGENCY LIGHTING PACKAGES - RACH
56-01-1600		1	-- Siren, Elect, Whelen 295SLSA1
56-02-1600		1	-- Spkr, F-S Dynamax, ES100C 100 Watt
56-02-1650		1	-- Spkr Grille, Stnls Stl, "R"
56-03-1800		1	-- Spkr Lctn, To Be Determined by Body Mfg
56-06-0300	<	1	-- Siren, F-S, Q2B, Mech, Pedestal Mted
			Left side

PART NO	S	QTY	DESCRIPTION
56-07-1800		1	-- Siren Cntrl, F-S, Q2B, Rocker, Dual Action, Red, Console
56-07-1800		1	-- Siren Cntrl, F-S, Q2B, Rocker, Dual Action, Red, Console
		1	CAB LIGHTBARS - UPPER ZONE A
57-02-1000	>	1	-- === Whelen Lt Bars - Long ===
57-02-1250	>	1	-- Lt Bar, Whelen, Ultra Freedom IV, #F4N7QLED, LED, 72"
57-10-0100		1	-- Lightbar Cntrl, with Vista E-Master & Virtual Switch
58-71-1770		1	-- Wrn Lts, Whelen, Upper Rr (2) M9 LED
57-20-1400		1	-- Wrn Lt, Drvr, Whelen, M9, Red LED, Color Lens, Ea
57-20-1401		1	-- Wrn Lt, Offcr, Whelen, M9, Red LED, Color Lens, Ea
58-01-2180		2	-- Flange, Chrome, Wrn Lt, Whln, M9 Ea
58-46-2100		1	-- Wrn Lts, Whelen, Upper Side Front (2) M9 LED
57-20-1400		1	-- Wrn Lt, Drvr, Whelen, M9, Red LED, Color Lens, Ea
57-20-1401		1	-- Wrn Lt, Offcr, Whelen, M9, Red LED, Color Lens, Ea
58-01-2180		2	-- Flange, Chrome, Wrn Lt, Whln, M9 Ea
58-61-2100		1	-- Wrn Lts, Whelen, Upper Side Rr (2) M9 LED
57-20-1400		1	-- Wrn Lt, Drvr, Whelen, M9, Red LED, Color Lens, Ea
57-20-1401		1	-- Wrn Lt, Offcr, Whelen, M9, Red LED, Color Lens, Ea
58-01-2180		2	-- Flange, Chrome, Wrn Lt, Whln, M9 Ea
58-03-6100		1	-- === Whelen Warn Lghts Chassis - QUAD Rosenbauer Fascia ===
58-03-6199		1	-- Turn Signals, Upper Wing Position, Chassis Supplied
58-03-7300		1	-- Wrn Lts, Whelen, Inbrd Warn Lt, (2) M6 LED
57-20-1200		1	-- Wrn Lt, Drvr, Whelen, M6, Red LED, Color Lens, Ea
57-20-1201		1	-- Wrn Lt, Offcr, Whelen, M6, Red LED, Color Lens, Ea
58-01-2140		2	-- Flange, Chrome, Wrn Lt, Whln, M6, Ea
58-03-7400	>	1	-- Wrn Lts, Whelen, Outboard Warn Lt Frnt, (2) M6 LED
57-20-1200		1	-- Wrn Lt, Drvr, Whelen, M6, Red LED, Color Lens, Ea
57-20-1201		1	-- Wrn Lt, Offcr, Whelen, M6, Red LED, Color Lens, Ea
58-01-2140		2	-- Flange, Chrome, Wrn Lt, Whln, M6, Ea
58-09-2000		1	-- Wrn Lts, Whelen, Intrsct (2) M6 LED
57-20-1200		1	-- Wrn Lt, Drvr, Whelen, M6, Red LED, Color Lens, Ea
57-20-1201		1	-- Wrn Lt, Offcr, Whelen, M6, Red LED, Color Lens, Ea
58-01-2140		2	-- Flange, Chrome, Wrn Lt, Whln, M6, Ea
58-26-2000		1	-- Wrn Lts, Whelen, Low Mid Bdy (2) M6 LED
57-20-1200		1	-- Wrn Lt, Drvr, Whelen, M6, Red LED, Color Lens, Ea
57-20-1201		1	-- Wrn Lt, Offcr, Whelen, M6, Red LED, Color Lens, Ea
58-01-2140		2	-- Flange, Chrome, Wrn Lt, Whln, M6, Ea
58-36-2400	< >	2	-- Wrn Lts, Whelen, Low Rr Side (2) M2 LED, in Rub Rail
			One pair in front of and rearward of the rear wheel
57-20-1000		2	-- Wrn Lt, Drvr, Whelen, M2, Red LED, Color Lens, Ea
57-20-1001		2	-- Wrn Lt, Offcr, Whelen, M2, Red LED, Color Lens, Ea
58-81-2000		1	-- Wrn Lts, Whelen, Low Rr (2) M6 LED
57-20-1200		1	-- Wrn Lt, Drvr, Whelen, M6, Red LED, Color Lens, Ea
57-20-1201		1	-- Wrn Lt, Offcr, Whelen, M6, Red LED, Color Lens, Ea
50-08-1000	S < >	1	Elecal, Base, Multi-Plex, Weldon V-MUX Body
			Electrical connect for show power
55-11-1100	>	1	-- Dr Open/Hazard Wrn Lt, w/Chassis
55-13-1065	>	1	-- V-MUX Dr Open, Isolation, Body Main Cmpt Doors, On Vista Screen w/Accessories
50-12-1092	>	1	Swtch Panel, Multiplex, Chassis Supplied
50-15-3100		1	Battery Swtch, Mstr Disconnect, Chs Sppld
50-41-6120	>	1	Air Horns (2) 21" Round Grover Stutter Tone
50-41-8140		1	Air Horn Location (2) Recess Mounted, Outboard, 1 Ea Side
50-43-1000		1	Air Horn Cntrls
50-43-2000		1	-- Air Horn Cntrl, Driver, Horn Ring, Air/Elec
50-43-2300		1	-- Air Horn Cntrl, Officer, Sgle Dash Swtch
51-05-1100	>	1	Dome Lt, Chassis Supl'd
51-05-6290		1	Lt, Engine Cmpt, Chassis Supl'd
51-05-6400		2	Lt, Pump Cmpt, 12 Volt LED With Swtch
51-05-9000		2	-- Switch on Light Head

PART NO	S	QTY	DESCRIPTION
51-15-3530	S <	2	FRC Vantage point lights, cab mounted, controllers dash mounted Qty(2) FRC Vantage point lights, top of cab mounted, controllers dash mounted
51-20-3010		1	==== 12-Volt Flood Lt Mntg, Pmpr/Tnkr, Location 1
51-20-3100	>	1	-- Fldlt, Mntg Lctn, Front Edge Of Cab Roof
51-16-5112	S < >	1	-- Fldlt,FRC Crestlight 72" led cab roof scene light bar 72" Crest light
54-15-6090		1	-- 3-Way Cntrl Swtch, Front Scene Lts, Driver VISTA/Pmp Pnl
51-20-3020		1	==== 12-Volt Flood Lt Mntg, Pmpr/Tnkr, Location 2
51-20-3030		1	==== 12-Volt Flood Lt Mntg, Pmpr/Tnkr, Location 3
51-20-3040		1	==== 12-Volt Flood Lt Mntg, Pmpr/Tnkr, Location 4
52-01-1100		1	Back Up Alarm, w/Chassis
52-02-1110		1	Back Up Camera, Install Chassis Supl'd, EXT
53-01-1200		1	Marker Lts, LED, DOT Requirements
53-02-1250		1	License Plate Brkt, Cast Prdts, LP0005-1-C w/ LED Lt
53-03-0065		1	Whelen Rr DOT LED Ltng Pkg M6
53-03-2750		1	-- Tail/Brake Lts, Whelen, LED, M6 (Pair)
53-04-2750		1	-- Turn Signals, Whelen, LED w/ Arrow, M6 (Pair)
53-06-3550		1	-- Backup Lts, Whelen, LED, M6 (Pair)
53-07-1210		1	-- Tail Lt Bezel, 4 Lts, Whln M6 (Pair), ABS Chrome
53-05-1800		1	Turn Signals, Mid Bdy, LED Marker Lt (Pair)
54-01-0550		1	==== LED Ground Lts - Pmpr/Tnkr - MN ===
54-02-1100		1	-- Ground Lts, Cab, Supl'd w/Custom Chassis
54-03-1220		1	-- Ground Lts, Pump Panel, LED, Pr Whelen 3SC0CDCR
54-03-1420		1	-- Ground Lts, Mid Body, LED, Whelen 3SC0CDCR, Pair
54-03-1620		1	-- Ground Lts, Rr Step, LED, Whelen 3SC0CDCR, Pair
54-03-1820		1	-- Ground Lts, Bhnd Rr Wheels, LED, Whelen 3SC0CDCR, Pair
54-04-1999		1	-- Lt Swtch , Ground Lts w/ Park Brake
54-11-2100		1	Lt Swtch , Step/Wlkwy Lts Wired Park Brake Swtch
54-15-1290	>	6	Scene Lt, Whelen, M9LZC LED, w/Chr trim ring
54-15-5500		2	-- Scene Lt Lctn, Left Side Of Bdy
54-15-5600		2	-- Scene Lt Lctn, Right Side Of Bdy
54-15-5700		2	-- Scene Lt Lctn, Rr Of Bdy
54-15-6490		1	-- 3-Way Cntrl Swtch, Left Scene Lts, Driver VISTA/Pmp Pnl
54-15-6590		1	-- 3-Way Cntrl Swtch, Right Scene Lts, Driver VISTA/Pmp Pnl
54-15-6690		1	-- 3-Way Cntrl Swtch, Rr Scene Lts, Driver VISTA/Pmp Pnl
54-15-6700		1	-- Scene Lt Swtch , Rr Scene Lts, Auto w/ Reverse
		1	== Use Drop Down For Chassis Options - 1115.017 11/15/17 ==
		1	== EXT SA Pmpr/Tnkr Chassis Modifictns - 22.019 02/18/19 ==
10-01-1100	>	1	Vehicle Dimensions, Sngl Axle
10-02-1100		1	Label, Data, Fluid Levels
10-02-1200		1	Label, Data, Height x Length, Weight
10-02-1300		1	Label, Data, "No Ride" Rr Step
10-02-1400		1	Label, Data, Tire Pressure
10-02-2100		1	Label, Indicating Number of Seats
10-02-2500		1	Label, "Caution: Do Not Wear Helmet While Seated"
10-05-9110		1	Tow Hooks Painted Rearward Mount (Pair)
10-03-6020	>	1	Tow Plates (2), Rr Frame Rail, Under Step, 3/4"x3"ID
80-43-2400		1	-- Painting, Tow Plates, Blk
10-04-0400		1	===== Commander 4000 Chassis Front Bumpers =====
10-04-0430		1	-- Front Bumpers, 4000, Max Force 12"H, Max Force Wings
10-05-4324		1	-- Frnt Bmpr, 4000, Max Force 12"H, T/P Apron, M/F Wings, 24" Extnsn
10-04-2530		1	===== Bumper Compts - Driver/Center/Officer =====
10-04-2549		1	-- ===== NO Bumper Compt - Full Width - PTS =====
10-04-2720	>	1	-- Bumper Compt, Center, Hosewell Compt
10-04-3150		1	-- Bumper Compt Door, Alum T/P, Flat Style
10-04-3460		1	-- Bumper Compt Door Gas Shock
10-06-1602		1	Tire Pressure Indicator, Sngl Axle, Commander p/n RWTG1235, EXT
10-07-1000		1	===== Chassis Exhaust =====

PART NO	S	QTY	DESCRIPTION
10-08-1100		1	Mud Flaps, Front Whls, w/ Chassis
10-08-2100		1	Mud Flaps, Rr Whls, Blk, w/ Bdy
10-18-6000	>	1	Cab Tilt Control, Cstm, Left Front Cmpt or Pump Panel
		1	== EXT Midship Pmpr/Tnkr Pump&Plumbing - 22.019 02/18/19 ==
20-27-1600	S < >	1	-- Pump, Rosenbauer, N 1500 GPM, Mid-ship PTO The pump is to be ordered with a Stainless Steel option
20-27-0190		1	-- Rosenbauer Pump Body, Stainless Steel, N1250/1500
20-29-1200	>	1	-- Primer, Trident Air Primer, Automatic
20-29-1252		1	-- Primer Control - Main Pump Manual Push Button
27-10-3500	>	1	-- Pressure Gvrnr, FRC, In-Cntrl, w/Bdy, TGA400
20-28-3300		1	-- Pump Shift, Rosenbauer, PTO, Stationary Pumping
		1	STAINLESS STEEL PUMP PLUMBING *
21-00-2000		1	-- Screens/Anodes, Pump
21-00-3300		1	-- Piping, Stnls Stl - 1250 GPM & Up
21-01-0300	>	1	-- Pump Drain, Master, Manifold, Hand Whl Type
21-01-5500		1	-- Intk Manifold, Stnls Stl
21-01-6500		1	-- Dschg Manifold, Stnls Stl
21-01-7300		1	-- Painting, Pump & Piping, Unpainted
21-01-8100		1	-- Threads, National Hose (NST)
22-03-1600		1	-- Intk, Ungated, 6", LH Side
22-41-5700		1	-- Cap, 6", Chrome Long Hndl
22-03-2600		1	-- Intk, Ungated, 6", RH Side
22-41-5700		1	-- Cap, 6", Chrome Long Hndl
22-51-5210	>	1	-- Tank-To-Pump, Water Tank, 3" Vlv/4" Piping, Midship, Pmpr/Tnkr
22-50-0100		1	-- Single Tank to Pump Control - Pump Operator's Panel
24-62-2310	>	1	-- Vlv Mfger, ELK,(3"), Manual, Std Pull Control
22-55-5070	S < >	1	-- Intk Vlv Cntrl, IC Sealed Lever Bank The new style IC control is to be ordered
23-02-1300		1	-- Tank Fill/Cooling Line, Water Tank, 2"
24-62-2202		1	-- Vlv Mfger, ELK, (2"), Manual, Std Pull Control
22-55-5070	S < >	1	-- Intk Vlv Cntrl, IC, Sealed Lever Bank The new style IC control is to be ordered
20-30-3200		1	-- Pump Instln, Midship PTO, By Bdy Bldr
20-31-1000		1	Fire Pump Testing - Pumpers/Tankers
20-31-1100		1	-- Pump Test, Pumper, UL
20-31-1500		1	-- Pump Test, Label
20-31-3200		1	Dump-Relief Vlv, Suction Side, ELK #40, NST
20-31-4110		1	Pump Cooler, Bypass-To-Tank, 3/8", IC Mini-Twist Handle
20-31-5110		1	Heat Exchanger, Engine, Hook-Up Only, IC Mini-Twist Handle
22-22-3000		1	===== Rr Right Side 5" Gated Intks =====
22-22-3200		1	-- Intk, Gtd, 5" NST, 5" Air Oprtd Vlv, 5" Pipe, Rr RH
21-01-2500		1	-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn
22-41-5600		1	-- Cap, 5", Chrome Long Hndl
22-12-1100		1	Intk, Aux, Gtd, 2-1/2", NST, Left Side
21-01-2502		1	-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only
22-41-1100		1	-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain
24-62-2250		1	-- Vlv Mfger, ELK (2-1/2"), Manual, Swing Type, Adjacent Control
22-55-5020		1	-- Intk Vlv Cntrl, ELK, Mnl Swing Type-Adjacent
23-05-0910		1	=== Frnt Bmpr Dschgs LH/CTR/RH - Pick To Select ===
23-05-6304		1	-- Dschg, 2-1/2", Front Center Bumper, Swivel, NST Chrome Swivel
21-01-2200		1	-- Drain/Bleeder, Class 1, Automatic
23-05-9200		1	-- Hose Connection, Abv Frnt Bmpr, Swivel
24-61-2250		1	-- Vlv Mfger, ELK, (2-1/2"), Manual
26-17-1051	S < >	1	-- Sealed Lever Banks - Cable Cntrls, IC (EACH) The new style IC control is to be ordered
27-02-0100		1	-- === PSI Only Dschg Pressure Gauges ===

PART NO	S	QTY	DESCRIPTION
27-02-1500	>	1	-- Gauge, Dschg, IC, 2-1/2" 400#, WF
23-06-0010		1	==== Crslysls Over Pump Panel ====
23-06-2200	<	1	-- Crosslay Dschgs, (2) 1-1/2", Over Pump Panel, NST 200 ft x1-3/4-in ea w/divider ENG, must be a low crosslay
21-01-2502		2	-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only
24-61-2200		2	-- Vlv Mfger, ELK, (2"), Manual
26-17-1051	S < >	2	-- Sealed Lever Banks - Cable Cntrls, IC (EACH) The new style IC control is to be ordered
27-02-0100		2	-- === PSI Only Dschg Pressure Gauges ===
27-02-1500	>	2	-- Gauge, Dschg, IC, 2-1/2" 400#, WF
23-08-3300		1	-- Crosslay Cvr, Alum T/P, Sngl, W/Vinyl End Flaps (Non NFPA Walking Surface)
29-20-5602		1	-- Vinyl Color, BLACK
23-08-5019		1	-- Crosslay Dschgs, Over Pump Panel, Normal Height
23-07-6200		1	==== Speedlays Ahead Pump Cmpt ====
23-08-8100		2	-- Speedlay, 1-3/4", Removable Hose Tray, Alum w/Retaining Device
23-09-4100		2	Dschg, 2-1/2", Left Side, Pump Panel, NST
21-01-2502		2	-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only
24-02-1200		2	-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome
24-03-1400		2	-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain
24-61-2250		2	-- Vlv Mfger, ELK, (2-1/2"), Manual
26-17-1051	S < >	2	-- Sealed Lever Banks - Cable Cntrls, IC (EACH) The new style IC control is to be ordered
27-02-0100		2	-- === PSI Only Dschg Pressure Gauges ===
27-02-1500	>	2	-- Gauge, Dschg, IC, 2-1/2" 400#, WF
23-10-4100		1	Dschg, 2-1/2", Right Side, Pump Panel, NST
21-01-2502		1	-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only
24-02-1200		1	-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome
24-03-1400		1	-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain
24-61-2250		1	-- Vlv Mfger, ELK, (2-1/2"), Manual
26-17-1051	S < >	1	-- Sealed Lever Banks - Cable Cntrls IC (EACH) The new style IC control is to be ordered
27-02-0100		1	-- === PSI Only Dschg Pressure Gauges ===
27-02-1500	>	1	-- Gauge, Dschg, IC, 2-1/2" 400#, WF
23-10-5200		1	Dschg, 3" x 4"NST, Right Side, Pump Panel, NST
21-01-2502		1	-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only
24-02-2600		1	-- Elbow, LW Alum, 5" Storz x 4"F
24-03-2200		1	-- Cap, LW Alum, 5" Storz, w/Cable
24-61-2300		1	-- Vlv Mfger, ELK, (3"), Manual
26-17-1056	S < >	1	-- Sealed Lever Banks - Cable Cntrls, IC Slow Cls (EACH) The new style IC control is to be ordered
27-02-0100		1	-- === PSI Only Dschg Pressure Gauges ===
27-02-1500	>	1	-- Gauge, Dschg, IC, 2-1/2" 400#, WF
23-12-2200		1	Dschg, 2-1/2", Right Front Hosebed, NST
21-01-2202		1	-- Drain/Bleeder, Class 1, Automatic - Spec Only
24-61-1250		1	-- Vlv Mfger, AKR, 8000, (2-1/2")
26-17-1050	>	1	-- Sealed Lever Banks - Cable Cntrls, AKR (EACH)
27-02-0100		1	-- === PSI Only Dschg Pressure Gauges ===
27-02-1500	>	1	-- Gauge, Dschg, IC, 2-1/2" 400#, WF
24-11-3200		1	Monitor Dschg, 3", Over Midship Pump Enclsr, NPT
21-01-2500		1	-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn
24-61-2300		1	-- Vlv Mfger, ELK, (3"), Manual
26-17-1056	S < >	1	-- Sealed Lever Banks - Cable Cntrls, IC, Slow Cls (EACH) Provide the updated IC lever control
27-02-0100		1	-- === PSI Only Dschg Pressure Gauges ===

PART NO	S	QTY	DESCRIPTION
27-02-1500	>	1	-- Gauge, Dschg, IC, 2-1/2" 400#, WF
24-15-1750		1	-- Mntr, ELK, Cobra EXM, 1500GPM, Elec, No Nzls 7250
24-15-1780		1	-- EXM CAN Stow Module
24-15-1790		1	-- EXM Hand Held Controls
24-18-1400		1	-- Nzl, Mstr Stream, ELK SM1250E, Elec
24-18-8100		1	-- Mntr, Tele Ext, ELK, Elec, 3", Vic x NPT, #8598
25-01-0010	S < >	1	Foam System Provisions, Future Installation, Dept or Dealer Installed Provisions shall be provided for the future installation of a department/dealer supplied foam system.
25-20-1200		1	-- Foam Plmbg, Sngl Class A Tank, 1" Mnl Vlv
25-21-1300		1	-- Foam Tank, Intgrl Poly, 20 Gal, Class A
25-22-9100		1	-- Foam Tank, No Manufacturer Preference
25-23-1000		1	-- Foam Tank Drain, 1" Gate Vlv, Under Tank
27-36-1029	S <	1	-- Foam Gauge Blank Mounting Plate == Install a blank mounting plate for a FRC Tank Vision that matches the pump panel finish
		1	== EXT Pmpr/Tnkr-Side Mount Pump Cmpt - 22.019 02/18/19 ==
26-02-2200	>	1	Pump Enc, Side Mt, Extrd Alum, 40-49"W, Crslysl
26-10-2100		1	Pump Enc Cmpt, SM, Dnng Over Pump, Open
26-30-1100		1	Rng Brd, LH Pump Panel, Alum T/P, SM
26-30-1150		1	Rng Brd, RH Pump Panel, Alum T/P, SM
26-30-5200	>	1	-- Hosewell, Rning Brd, Pump Panel, RH
26-31-3310	<	1	Gauge Panel, Upper LH, Blk Thermo Line X
26-31-3340		1	Pump Side Access Door, Upper RH, Line X
26-35-3210		1	Pump Panel, Stnls Stl, LH/RH, SM, EXT
26-35-1100		1	-- Pump Panel, Bltd, LH
26-35-1149		1	-- === NO LH Lower Recessed Pump Panel - PTS ===
26-35-1400	>	1	-- Pump Panel, Hngd, RH
26-35-1249		1	-- === NO RH Lower Recessed Pump Panel - PTS ===
26-35-5400		1	Pump Panel, Angled Blk LineX, LH/RH, SM
26-35-1100		1	-- Pump Panel, Bltd, LH
26-35-1200		1	-- Pump Panel, Bltd, RH
26-55-1100		1	Labels, Test Data and Safety Placards
26-55-2410		1	Labels, IC Color Coded, EXT
26-56-1130		1	Pump Panel Lt, Midship LH, (3) Grote #01-61F8-70 Low Profile, LED
26-56-1230		1	Pump Panel Lt, Midship RH, (3) Grote #01-61F8-70 Low Profile, LED
27-01-0099		1	=== NO Mstr Pressure Gauges - Pick to Select ===
27-01-4100	>	1	Gauge, Test Taps
27-35-4000		1	Water Tank Gauge, IC, 14-LED, Pump Panel ("V" Shape) #3030385-04
27-35-1500	<	1	Water Tank Gauge, FRC, Max Vision Remote Tank Display, Pair mounted on the pump mod
		1	== EXT HLHD / HRHD SA Pmpr/Tnkr - 9032.019 09/03/19 ==
25-28-1760		1	Water Tank, 750 Gal, Pmpr/Tnkr, Poly, L-Tank
25-42-1100	>	1	-- Water Tank, Base Specs, Poly
25-42-1190		1	-- Water Tank, Manufacturer, No Preference, Poly
25-44-1700		1	-- Water Tank, Fill Tower, 10" x 10", EXT
29-00-2400	< >	1	Hosebed, Pmpr, <168" L, HD, 71" Wide - EXT Low hose bed
29-10-1050		1	Hosebed, Grating, Extrd Alum, <168" Long - EXT
29-10-5020		1	Hosebed Storage Cpcty, EXT
29-10-5090		1	-- Hosebed, Strge Cpcty, 30 Cubic Feet, Minimum
29-10-8150		1	Hosebed, Divider, 1/4" Alum, EXT

PART NO	S	QTY	DESCRIPTION
29-10-8300		1	-- Hosebed, Divider, Handhole Cutouts
29-10-8550		1	Hosebed, Partition, Front of Hosebed, Greater than 48" - EXT
29-20-2000	>	1	Hosebed Cvr, Vinyl, <180" L, <74" W, Velcro
29-20-5602		1	-- Vinyl Color, BLACK
30-01-2000		1	Bdy Const - Rosenbauer EXT - SA Pmpr/Tnkr
30-01-2250		1	-- Electrolysis Corrosion Cntrl
30-01-3200		1	-- Side Body Height, EXT-SA Pmpr/Tnkr, 79"
30-02-1920		1	-- Side Body Header, Alum, Pntd, Sngl Axle, EXT
44-05-1200		1	-- Whl Well Panel, Alum, Pntd, Sngl Axle
44-06-4320		1	-- Fenderette, Polished Stainless Steel, EXT
30-10-1500		1	-- Sub-Frame, EXT, SA Pmpr/Tnkr
30-02-1703	>	1	Finish, Painted Roll Up Door Options, Specs, EXT
30-02-1705	>	6	Finish, Roll Up Door Tracks Painted, Specs, EXT
30-02-1707	>	6	Finish, Roll Up Door Drip Rail, Painted, Specs, EXT
30-02-1709	>	6	Finish, Roll Up Door Bottom Rail, Painted, Specs, EXT
30-02-1710	U <	4	Finish, Corner Post, Painted Corner posts painted job color
31-01-5040		1	100" OAW, 12-26" Half Dpth Both Sides, HL/HR
31-01-5334		1	Pntd Roll Up Drs, Outside Cmpt, HL/HR, 168" Bdy
30-02-1600		1	-- Drs, Roll-Up, Outside Cmpt, Specs, EXT
30-02-1260	>	7	-- Dr Strap, EZ-Pull Down, Ea
31-01-5300	S <	1	-- Bdy, Rosenbauer EXT, Pmpr/Tnkr , 164" 164"
32-05-4079		1	-- Cmpt Height, 79" High Left, High Side, RU Drs
32-05-6262	S <	1	-- L1 Ahd Rr Whls-44" Full Ht Cmpt-Pntd Roll Up Outside Cmpt 44" wide compartment
44-40-1020		2	-- Vents, Compts, Louvers (Ea)
45-02-4100		1	-- Shelf, Adjust, Alum 3/16", EXT
45-06-2100	>	1	-- Slide Tray, 500#, Alum 3/16" (1/4 Dpth), EXT
45-19-1100		1	-- Equipment Mounting Pnl, Rr Wall, 3/16 Aluminum
55-01-3625		1	-- RBA InVisiLight, 56" Rcsd, Shvng, Sides (2) Ea Cmpt, EXT
55-01-3650		1	-- === NO RBA InVisiLight, Ceiling, EXT - PTS ===
55-06-1100	>	1	-- Cmpt Lt, Dr Swtch, Auto, Ea
32-05-7053	S <	1	-- L2 Abv Rr Whls-60" Sngl Cmpt, No Hyd Rack-Pntd RU Outside Cmpt 60 wide compartment
44-40-1020		2	-- Vents, Compts, Louvers (Ea)
45-18-1600		1	-- Tool Board, Swing Out, 250#, 1/8" Alum, EXT
55-01-3610		1	-- RBA InVisiLight, 28" Rcsd, Shvng, Sides (2) Ea Cmpt, EXT
55-01-3650		1	-- === NO RBA InVisiLight, Ceiling, EXT - PTS ===
55-06-1100	>	1	-- Cmpt Lt, Dr Swtch, Auto, Ea
32-05-8062	S <	1	-- L3 Bhd Rr Whls-44" Full Ht Cmp-Pntd Roll Up Outside 44" wide
44-40-1020		2	-- Vents, Compts, Louvers (Ea)
45-02-4100		1	-- Shelf, Adjust, Alum 3/16", EXT
45-19-1100		1	-- Equipment Mounting Pnl, Rr Wall, 3/16 Aluminum
55-01-3625		1	-- RBA InVisiLight, 56" Rcsd, Shvng, Sides (2) Ea Cmpt, EXT
55-01-3650		1	-- === NO RBA InVisiLight, Ceiling, EXT - PTS ===
55-06-1100	>	1	-- Cmpt Lt, Dr Swtch, Auto, Ea
32-06-4079		1	-- Cmpt Height, 79" High Right, High Side, RU Drs
32-06-6262	S <	1	-- R1 Ahd Rr Whls-44" Full Ht Cmpt-Pntd Roll Up Outside Cmpt 44" wide comartment
44-40-1020		2	-- Vents, Compts, Louvers (Ea)
45-02-4100		1	-- Shelf, Adjust, Alum 3/16", EXT
45-16-1100		2	-- Tool Board, Roll Out, 500#, 3/16" Alum (1/4 Depth)

PART NO	S	QTY	DESCRIPTION
45-19-1100	<	1	-- Equipment Mounting Pnl, Rr Wall, 3/16 Aluminum Upper 12 " depth
55-01-3625		1	-- RBA InVisiLight, 56" Rcsd, Shvng, Sides (2) Ea Cmpt, EXT
55-01-3650		1	-- === NO RBA InVisiLight, Ceiling, EXT - PTS ===
55-06-1100	>	1	-- Cmpt Lt, Dr Swtch, Auto, Ea
32-06-7033	S <	1	-- R2 Abv Rr Whls-40" Sngl Cmpt w/ Hyd Rack-Pntd RU Outside Cmpt 40" wide compartment
44-40-1020		2	-- Vents, Compts, Louvers (Ea)
45-19-1100		1	-- Equipment Mounting Pnl, Rr Wall, 3/16 Aluminum
55-01-3610		1	-- RBA InVisiLight, 28" Rcsd, Shvng, Sides (2) Ea Cmpt, EXT
55-01-3650		1	-- === NO RBA InVisiLight, Ceiling, EXT - PTS ===
55-06-1100	>	1	-- Cmpt Lt, Dr Swtch, Auto, Ea
32-06-8062	S <	1	-- R3 Bhd Rr Whls-44" Full Ht Cmpt-Pntd Roll Up Outside Cmpt 44" wide compartment
44-40-1020		2	-- Vents, Compts, Louvers (Ea)
45-02-4100		2	-- Shelf, Adjust, Alum 3/16", EXT
55-01-3625		1	-- RBA InVisiLight, 56" Rcsd, Shvng, Sides (2) Ea Cmpt, EXT
55-01-3650		1	-- === NO RBA InVisiLight, Ceiling, EXT - PTS ===
55-06-1100	>	1	-- Cmpt Lt, Dr Swtch, Auto, Ea
33-60-2100	>	1	Rr Bdy, Flat Back, EXT
32-08-5210		1	-- Rr Center Cmpt - Full Height Roll Up/Trans
44-40-1020		2	-- Vents, Compts, Louvers (Ea)
55-01-1900		1	-- Cmpt Lt, Wall, Surface Incand, (1) Ea Cmpt
55-06-1100	>	1	-- Cmpt Lt, Dr Swtch, Auto, Ea
		1	COMPARTMENT STORAGE PROVISIONS
33-61-1330		1	-- Rr Step, Notched, EXT Bdy, Bolt-On, 12"
44-11-5150		1	Whl Well Cmpt, Ahd of Whls Left Side, EXT
44-10-2710	>	1	-- Whl Well Cmpt, Triple SCBA Tube, Pntd S/S Dr
44-10-6000		3	-- Whl Well Cmpt, SCBA Cmpt Straps
44-11-5350		1	Whl Well Cmpt, Bhnd Whls Left Side, EXT
44-10-2710	>	1	-- Whl Well Cmpt, Triple SCBA Tube, Pntd S/S Dr
44-10-6000		3	-- Whl Well Cmpt, SCBA Cmpt Straps
44-11-5550		1	Whl Well Cmpt, Ahd of Whls Right Side, EXT
44-10-2710	>	1	-- Whl Well Cmpt, Triple SCBA Tube, Pntd S/S Dr
44-10-6000		3	-- Whl Well Cmpt, SCBA Cmpt Straps
44-11-5750		1	Whl Well Cmpt, Bhnd Whls Right Side, EXT
44-07-3702	>	1	-- Fuel Fill Door Assy, Pntd, Poly Pckt, RH Whl Wll Pnl (Fire Shopp)
44-10-2710	>	1	-- Whl Well Cmpt, Triple SCBA Tube, Pntd S/S Dr
44-10-6000		3	-- Whl Well Cmpt, SCBA Cmpt Straps
90-02-1550	>	1	Ladder Mtg, Hyd Rack, Center Mt Lo Pro 1.0, Right Side, EXT
90-02-0510		1	-- Controls, Mtg, Equipment Rack, Pump Panel
90-02-1265		1	-- Equipment Rack, Covering, Support Arms, Pntd to Match Body
90-03-0220		1	-- Ladders, Ground, Provd'd By Manufacturer, MN
90-03-3300		1	-- Ladder, Roof, Duo-Safety, 14' Alum 775-A
90-06-4600		1	-- Ladder, Ext, Duo-Safety, 24' Alum, 2 Sect 900-A
90-02-5350		1	Fldg Attic Ladder Mntg, On Hyd Rack-MN
90-03-0230		1	-- Ladders, Fldg Attic, Provd'd By Manufacturer, MN
90-08-2600		1	-- Ladder, Attic, Duo-Safety, 10' Alum, Fold 585-A
90-16-5430		2	Pike Pole Mtg, On Hyd Ladder Rack, Ea, EXT
90-16-6100		1	Pike Pole Provd'd By, Bdy Bldr
90-16-2300		1	-- Pike Pole, 6' Fbgl, Round Hndl
90-16-2800		1	-- Pike Pole, 10' Fbgl, Round Hndl
90-25-9300	>	1	Suction Hose Provd'd By, Purchaser/Fire Department
90-25-3199		2	-- Non-Bdy Bldr Suppl'd Suction Hose, Flex, PVC, 6"x10'-MN
90-25-6120		2	-- Non-Bdy Bldr Suppl'd Sctn Hse Cplgs, Alum, LH FM x RLM-MN
		1	=== EXT Pmpr/Tnkr Common Body Parts - 22.019 02/18/19 ===
33-66-2140	>	1	-- Steps, Fldg, Frnt, Right Hand (3), Integral LED Lts

PART NO	S	QTY	DESCRIPTION
44-01-1400		1	-- Bdy Trim, Frnt Bdy, Ht of Side Cmpts, Alum T/P
44-01-4020		1	-- Bdy Trim, Rr Bdy, Smooth Alum for Chevron Stripe, EXT
44-07-4200		1	-- Fuel Tank, Removable Access Panel
33-62-4120		1	-- Steps, Fldg, Rear, Left Hand (2), Integral LED Lts
33-70-1303		1	-- Handrail, Alum, Lighted, Blue LED, Rr Step, Vert, 48", Pair
33-70-2303		1	-- Handrail, Alum, Lighted, Blue LED, Below Hosebed, Horz, 72"
44-02-1120		1	-- Rub Rails, Lwr Bdy, EXT, Extrd Alum
		1	=== EXT Pmpr/Tnkr - AC Electrical System - 22.019 02/18/19 ===
60-25-1000	>	1	=== 120V Receptacles ===
		1	=== EXT Pmpr/Tnkr - Equipment Systems - 22.019 02/18/19 ===
		1	=== EXT SA Pmpr/Tnkr - Pnt/Ltr/Str - 22.019 02/18/19 ===
80-05-5200		1	Bdy Paint, Pmpr/Tnkr, Sngl Color, EXT
80-32-1250		1	Compt Finish, DA Sanded, Up to 8 Cmpts, EXT
80-40-1250		1	Whl Finish, By Chassis Manufacturer
80-42-1500		1	Bdy Paint, Touch Up, 2 oz. Bttl, One Color
80-50-1700		1	Lettering, 4" Mylar Gold Leaf, 50 Letters
80-71-1300	>	1	Stripe, Triple Reflective, 1" x 4" x 1" Large "Z" Design
80-75-1600		1	-- Reflective Stripe Material, White
80-72-1110		1	Stripe, Refl, 3M Diamond Grde, Chevron Pattern Entire Rr, EXT
80-72-1799		1	=== NO Rr Roll-Up Door Chevron Striping - Pick to Select ===
80-72-2010		1	Chevron, Reflective, Cab Door Interiors, Red/Yellow
80-79-1000		1	NFPA Standing / Walking Surfaces Yellow Safety Tape (NFPA 15.7.1.6)
		1	=== EXT Pmpr/Tnkr - Loose Equipment - 22.019 02/18/19 ===
90-01-0300		1	Equipment Loading Allowance of 2000#
90-01-5900		1	Whl Chocks Pair Zico #SAC-44 Fldg w/ Mts