

Shop Order

| | |
|--|--|
| Sales Rep: Dealer: Brandon W. In-House: Chris S. Drawing #: P8072 Est. Delivery Date: / / Customer PO #: Customer #: 75307 QPF #: | Terms: Penalty: |
|--|--|

Exp. Date: 05/09/2019
Quote No: 10188-0014
 08/18/2021

Job/Order No: 75307

| PART NO | S | QTY | DESCRIPTION |
|------------|-----|-----|--|
| | | 1 | == EXT Aerial Bid Prep Forms - 22.019 02/18/19 == |
| | | 1 | ROSENBAUER APPARATUS SOLUTIONS - RAS - February 2019 |
| 00-00-000M | S < | 1 | -- === Pricing as of Rosenbauer QW Release February 2019 Pricing good until 9-1-19 Update Reprice done on 4/16/20 By Jdavis |
| 00-00-1499 | | 1 | Overall Height Restriction, NONE |
| 00-00-1509 | | 1 | Overall Length Restriction, NONE |
| 00-00-1519 | | 1 | Overall Width Restriction, NONE |
| 00-00-1529 | | 1 | Wheelbase Restriction, NONE |
| 00-00-1539 | | 1 | Angle of Approach, NFPA Minimum, 8 Degrees |
| 00-00-1549 | | 1 | Angle of Departure, NFPA Minimum, 8 Degrees |
| | | 1 | NFPA Equipment Allowances |
| 00-00-1620 | | 1 | NFPA Aerial/Quint Equipment Allowance 2500# |
| 00-12-1100 | | 1 | Financial Stability Response |
| 01-06-0560 | > | 1 | Electronic Stability Control |
| | | 1 | == EXT Aerial Warranties-BR - 22.019 02/18/19 == |
| 02-14-0150 | | 1 | === Warranty, EXT Bdy & Subframe === |
| 01-16-0150 | > | 1 | -- Warranty, Apparatus, Body Warranty, 1 Year |
| 01-19-0460 | | 1 | -- Warranty, Bdy, Alum, Life-Time, Transferable |
| 01-19-2450 | | 1 | -- Warranty, Subframe, Lifetime Alum, Transferable |
| 01-20-0360 | | 1 | -- Warranty, Paint, PPG, 10 Years, EXT |
| 01-21-0150 | | 1 | -- Warranty, Lettering and Striping, 1 Year |
| 02-14-5110 | | 1 | === Pump Warranty (Waterous Default) === |
| 01-17-0750 | | 1 | -- Pump Warranty, Waterous, 7 Years |
| 02-14-6250 | | 1 | Plmbg Warranty, Stnls Stl, 10 Years |
| 01-33-3300 | | 1 | -- Manuals, Body Complete, Digital Copy |
| 01-33-5400 | | 1 | -- Manuals, Electrical, As Built Body, Digital Copy |
| | | 1 | == Use Drop Down For Chassis Options - 1115.017 11/15/17 == |
| | | 1 | == EXT Aerial - DC Elec System - COMMANDERS ONLY - 22.019 02/18/19 == |
| | | 1 | EMERGENCY LIGHTING PACKAGES - RACH |
| 56-01-1600 | | 1 | -- Siren, Elect, Whelen 295SLSA1 |
| 56-02-1600 | | 1 | -- Spkr, F-S Dynamax, ES100C 100 Watt |
| 56-02-1650 | | 1 | -- Spkr Grille, Stnls Stl, "R" |

| PART NO | S | QTY | DESCRIPTION |
|------------|---|-----|--|
| 56-03-1800 | | 1 | -- Spkr Lctn, To Be Determined by Body Mfg |
| 56-06-0650 | > | 1 | -- Siren, F-S, Q2B, Mech, Bumper, Fully Rcsd, Right Side Q2B-012NNSD |
| 56-07-1120 | | 1 | -- Siren Cntrl, Q2B, Driver Console Switch |
| 56-07-1220 | | 1 | -- Siren Cntrl, Q2B, Officer Console Switch |
| 56-07-1210 | | 1 | -- Siren Brakes, F-S, Q2B, (1) ea Side Driver & Officer Dash |
| | | 1 | CAB LIGHTBARS - UPPER ZONE A |
| 57-02-4000 | > | 1 | -- ===== Whelen Lt Bars - Short ===== |
| 57-02-4600 | > | 1 | -- Lt Bar, Whelen, Freedom IV, F4NMINI, LED, 21.5" (Pair) |
| 57-10-0100 | | 1 | -- Lightbar Cntrl, with Vista E-Master & Virtual Switch |
| 58-71-1800 | | 1 | -- Wrn Lts, Whelen, Upper Rr (2) RB6T Rotary |
| 57-20-8000 | | 1 | -- Wrn Lt, Drvr, Whelen, RB6T Rotator Red Color Lens, Ea |
| 57-20-8001 | | 1 | -- Wrn Lt, Offcr, Whelen, RB6T Rotator Red Color Lens, Ea |
| 58-74-5200 | | 1 | -- Mtg, Rr Wrn Lt, Bdy Cmpt |
| 58-46-0999 | | 1 | -- === NO Upper Side Frnt Bdy Wrn Lts - PTS === |
| 58-61-0999 | | 1 | -- === NO Upper Side Rr Bdy Wrn Lts - PTS === |
| 58-03-6100 | | 1 | -- === Whelen Warn Lghts Chassis - QUAD Rosenbauer Fascia === |
| 58-03-6300 | | 1 | -- Wrn Lts, Whelen, Uppr Wing, (2) M6 LED |
| 57-20-1210 | | 1 | -- Wrn Lt, Drvr, Whelen, M6, Red LED, Clear Lens, Ea |
| 57-20-1211 | | 1 | -- Wrn Lt, Offcr, Whelen, M6, Red LED, Clear Lens, Ea |
| 58-01-2140 | | 2 | -- Flange, Chrome, Wrn Lt, Whln, M6, Ea |
| 58-03-7300 | | 1 | -- Wrn Lts, Whelen, Inbrd Warn Lt, (2) M6 LED |
| 57-20-1210 | | 1 | -- Wrn Lt, Drvr, Whelen, M6, Red LED, Clear Lens, Ea |
| 57-20-1211 | | 1 | -- Wrn Lt, Offcr, Whelen, M6, Red LED, Clear Lens, Ea |
| 58-01-2140 | | 2 | -- Flange, Chrome, Wrn Lt, Whln, M6, Ea |
| 58-09-2000 | | 1 | -- Wrn Lts, Whelen, Intrsct (2) M6 LED |
| 57-20-1210 | | 1 | -- Wrn Lt, Drvr, Whelen, M6, Red LED, Clear Lens, Ea |
| 57-20-1211 | | 1 | -- Wrn Lt, Offcr, Whelen, M6, Red LED, Clear Lens, Ea |
| 58-01-2140 | | 2 | -- Flange, Chrome, Wrn Lt, Whln, M6, Ea |
| 58-26-2000 | | 1 | -- Wrn Lts, Whelen, Low Mid Bdy (2) M6 LED |
| 57-20-1210 | | 1 | -- Wrn Lt, Drvr, Whelen, M6, Red LED, Clear Lens, Ea |
| 57-20-1211 | | 1 | -- Wrn Lt, Offcr, Whelen, M6, Red LED, Clear Lens, Ea |
| 58-01-2140 | | 2 | -- Flange, Chrome, Wrn Lt, Whln, M6, Ea |
| 58-36-2000 | | 1 | -- Wrn Lts, Whelen, Low Rr Side (2) M6 LED |
| 57-20-1210 | | 1 | -- Wrn Lt, Drvr, Whelen, M6, Red LED, Clear Lens, Ea |
| 57-20-1211 | | 1 | -- Wrn Lt, Offcr, Whelen, M6, Red LED, Clear Lens, Ea |
| 58-01-2140 | | 2 | -- Flange, Chrome, Wrn Lt, Whln, M6, Ea |
| 58-81-2000 | | 1 | -- Wrn Lts, Whelen, Low Rr (2) M6 LED |
| 57-20-1210 | | 1 | -- Wrn Lt, Drvr, Whelen, M6, Red LED, Clear Lens, Ea |
| 57-20-1211 | | 1 | -- Wrn Lt, Offcr, Whelen, M6, Red LED, Clear Lens, Ea |
| 50-08-1000 | > | 1 | Elecal, Base, Multi-Plex, Weldon V-MUX Body |
| 55-11-1100 | > | 1 | -- Dr Open/Hazard Wrn Lt, w/Chassis |
| 55-13-1065 | > | 1 | -- V-MUX Dr Open, Isolation, Body Main Cmpt Doors, On Vista Screen w/Accessories |
| 50-12-1092 | > | 1 | Swth Panel, Multiplex, Chassis Supplied |
| 50-15-1100 | | 1 | Batteries, With Supl'd Chs |
| 50-15-3100 | | 1 | Battery Swth, Mstr Disconnect , Chs Sppld |
| 50-15-5100 | | 1 | Battery Chrgr, Chs Supl'd |
| 50-41-6120 | > | 1 | Air Horns (2) 21" Round Grover Stutter Tone |
| 50-41-8140 | | 1 | Air Horn Location (2) Recess Mounted, Outboard, 1 Ea Side |
| 50-43-1000 | | 1 | Air Horn Cntrls |
| 50-43-2500 | | 1 | -- Air Horn Cntrl, Dual Lanyard Pull Cord |
| 51-05-1100 | > | 1 | Dome Lt, Chassis Supl'd |
| 51-05-6290 | | 1 | Lt, Engine Cmpt, Chassis Supl'd |
| 51-05-6400 | | 2 | Lt, Pump Cmpt, 12 Volt LED With Swth |
| 51-05-9000 | | 2 | -- Switch on Light Head |
| 51-20-3012 | | 1 | === 12-Volt Flood Lt Mtng, Aerial, Location 1 |
| 51-20-3022 | | 1 | === 12-Volt Flood Lt Mtng, Aerial, Location 2 |
| 51-20-3032 | | 1 | === 12-Volt Flood Lt Mtng, Aerial, Location 3 |
| 52-01-1100 | | 1 | Back Up Alarm, w/Chassis |
| 53-01-1200 | | 1 | Marker Lts, LED, DOT Requirements |
| 53-02-1250 | | 1 | License Plate Brkt, Cast Prdts, LP0005-1-C w/ LED Lt |

| PART NO | S | QTY | DESCRIPTION |
|------------|-----|----------|--|
| 53-03-0065 | | 1 | Whelen Rr DOT LED Ltng Pkg M6 |
| 53-03-2750 | | 1 | -- Tail/Brake Lts, Whelen, LED, M6 (Pair) |
| 53-04-2750 | | 1 | -- Turn Signals, Whelen, LED w/ Arrow, M6 (Pair) |
| 53-06-3550 | | 1 | -- Backup Lts, Whelen, LED, M6 (Pair) |
| 53-07-1210 | | 1 | -- Tail Lt Bezel, 4 Lts, Whln M6 (Pair), ABS Chrome |
| 53-05-1800 | | 1 | Turn Signals, Mid Bdy, LED Marker Lt (Pair) |
| 54-01-0650 | | 1 | === LED Ground Lts - Aerial - MN === |
| 54-01-1220 | | 1 | -- Ground Lts, Frt Bumper, LED, Whelen 3SC0CDCR, Pair |
| 54-02-1100 | | 1 | -- Ground Lts, Cab, Supl'd w/Custom Chassis |
| 54-03-1220 | | 1 | -- Ground Lts, Pump Panel, LED, Pr Whelen 3SC0CDCR |
| 54-03-1420 | | 1 | -- Ground Lts, Mid Body, LED, Whelen 3SC0CDCR, Pair |
| 54-03-1620 | | 1 | -- Ground Lts, Rr Step, LED, Whelen 3SC0CDCR, Pair |
| 54-03-1820 | | 1 | -- Ground Lts, Bhnd Rr Wheels, LED, Whelen 3SC0CDCR, Pair |
| 54-04-1999 | | 1 | -- Lt Swtch , Ground Lts w/ Park Brake |
| 54-11-2100 | | 1 | Lt Swtch , Step/Wlkwy Lts Wired Park Brake Swtch |
| 54-15-1280 | < > | 6 | Scene Lt, Whelen, M6ZC LED, W/Chr. trim ring M6 scene is correct |
| 54-15-5500 | | 2 | -- Scene Lt Lctn, Left Side Of Bdy |
| 54-15-5600 | | 2 | -- Scene Lt Lctn, Right Side Of Bdy |
| 54-15-5700 | | 2 | -- Scene Lt Lctn, Rr Of Bdy |
| 54-15-6494 | | 1 | -- 3-Way Cntrl Swtch, Left Scene Lts, Driver & Officer VISTA/Pmp Pnl |
| 54-15-6594 | | 1 | -- 3-Way Cntrl Swtch, Right Scene Lts, Driver & Officer VISTA/Pmp Pnl |
| 54-15-6694 | | 1 | -- 3-Way Cntrl Swtch, Rr Scene Lts, Driver & Officer VISTA/Pmp Pnl |
| 54-15-6700 | | 1 | -- Scene Lt Swtch , Rr Scene Lts, Auto w/ Reverse |
| 58-91-1200 | | 1 | Traffic Arrow, Whelen, 36" 500 Series 5MM LED, TAL65 |
| 58-95-1300 | | 1 | Traffic Arrow Lt Mntg, Surface Mt, Rr Bdy |
| | | 1 | == EXT Aerial Chassis Modifications - 22.019 02/18/19 == |
| 10-01-1100 | > | 1 | Vehicle Dimensions, Sngl Axle |
| 10-02-1100 | | 1 | Label, Data, Fluid Levels |
| 10-02-1200 | | 1 | Label, Data, Height x Length, Weight |
| 10-02-1300 | | 1 | Label, Data, "No Ride" Rr Step |
| 10-02-1400 | | 1 | Label, Data, Tire Pressure |
| 10-02-2100 | | 1 | Label, Indicating Number of Seats |
| 10-02-2500 | | 1 | Label, "Caution: Do Not Wear Helmet While Seated" |
| 10-03-6120 | | 1 | Tow Plates (2), Rr Frame Rail, Abv Step, 3/4"x3"ID |
| 80-43-2400 | | 1 | -- Painting, Tow Plates, Blk |
| 10-04-0400 | | 1 | ===== Commander 4000 Chassis Front Bumpers ===== |
| 10-04-0430 | | 1 | -- Front Bumpers, 4000, Max Force 12"H, Max Force Wings |
| 10-05-4306 | | 1 | -- Frnt Bmpr, 4000, Max Force 12"H, T/P Apron, M/F Wings, 6" Extnsn |
| 10-05-9110 | | 1 | Tow Hooks Painted Rearward Mount (Pair) |
| 10-06-1120 | | 1 | Whl Trim, S/S Hub/Lug Cvrs, Front/Rr, Tndm Axle |
| 10-06-1652 | | 1 | Tire Pressure Indicator, Tndm Axle, Commander, RWTG1235, EXT |
| 10-07-1000 | | 1 | ===== Chassis Exhaust Horizontal ===== |
| 10-08-1100 | | 1 | Mud Flaps, Front Whls, w/ Chassis |
| 10-08-2100 | | 1 | Mud Flaps, Rr Whls, Blk, w/ Bdy |
| 10-18-6000 | > | 1 | Cab Tilt Control, Cstm, Left Front Cmpt or Pump Panel |
| | | 1 | == EXT Midship Aerial Pump&Plumbing - 22.019 02/18/19 == |
| 20-27-2500 | > | 1 | -- Pump, Rosenbauer, N80 2250 GPM, NP, Midship Splitshaft, Aluminum |
| 20-27-6200 | | 1 | -- Primer, Rosenbauer, Automatic Belt Driven |
| 27-10-3500 | > | 1 | -- Pressure Gvrnr, FRC, In-Cntrl, w/Bdy, TGA400 |
| 20-28-3200 | | 1 | -- Pump Shift, Rosenbauer , Elect/Pneumatic Operated |
| | | 1 | STAINLESS STEEL PUMP PLUMBING * |
| 21-00-2000 | | 1 | -- Screens/Anodes, Pump |
| 21-00-3300 | | 1 | -- Piping, Stnls Stl - 1250 GPM & Up |
| 21-01-0200 | > | 1 | -- Pump Drain, Master, Manifold, Push Pull Type |
| 21-01-5500 | | 1 | -- Intk Manifold, Stnls Stl |
| 21-01-6500 | | 1 | -- Dschg Manifold, Stnls Stl |
| 21-01-7100 | | 1 | -- Painting, Pump & Piping, Silver |
| 21-01-8100 | | 1 | -- Threads, National Hose (NST) |

| PART NO | S | QTY | DESCRIPTION |
|------------|-----|-----|---|
| 22-03-1600 | | 1 | -- Intk, Ungated, 6", LH Side |
| 22-41-5700 | | 1 | -- Cap, 6", Chrome Long Hndl |
| 22-03-2600 | | 1 | -- Intk, Ungated, 6", RH Side |
| 22-41-5700 | | 1 | -- Cap, 6", Chrome Long Hndl |
| 22-51-8200 | | 1 | -- Tank-To-Pump, Water Tank, 4" Vlv/4" Piping, Midship, Pmpr/Tnkr/Arl |
| 22-50-0100 | | 1 | -- Single Tank to Pump Control - Pump Operator's Panel |
| 24-62-1410 | | 1 | -- Vlv Mfger, AKR, 8000, (4"), Electric |
| 22-55-4900 | | 1 | -- Intk Vlv Cntrl, AKR, 4" Elec, #9333 |
| 23-02-1300 | | 1 | -- Tank Fill/Cooling Line, Water Tank, 2" |
| 24-62-1200 | | 1 | -- Vlv Mfger, AKR, 8000, (2") |
| 22-55-4070 | < > | 1 | -- Intk Vlv Cntrl, AKR, Sealed Lever Bank |
| | | | This demo will have the standard Akron levers. If we are out of stock then we'll have a discussion on what lever to use |
| 20-30-3100 | | 1 | -- Pump Instln, Midship Split-Shaft, By Bdy Bldr |
| 20-31-1010 | | 1 | Fire Pump Testing - Aerials |
| 20-31-1250 | | 1 | -- Pump Test, Aerial, UL |
| 20-31-1500 | | 1 | -- Pump Test, Label |
| 20-31-3200 | | 1 | Dump-Relief Vlv, Suction Side, ELK #40, NST |
| 20-31-4110 | | 1 | Pump Cooler, Bypass-To-Tank, 3/8", IC Mini-Twist Handle |
| 20-31-5110 | | 1 | Heat Exchanger, Engine, Hook-Up Only, IC Mini-Twist Handle |
| 22-12-1100 | | 1 | Intk, Aux, Gtd, 2-1/2", NST, Left Side |
| 21-01-2502 | | 1 | -- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only |
| 22-41-1100 | | 1 | -- Plug, 2-1/2", Chrome Rocker Lug, w/Chain |
| 24-62-1250 | | 1 | -- Vlv Mfger, AKR, 8000, (2-1/2") |
| 22-55-4050 | | 1 | -- Intk Vlv Cntrl, AKR, Mnl Swing Type-Adjacent |
| 23-06-0010 | | 1 | === Crslys Over Pump Panel === |
| 23-06-2200 | | 1 | -- Crosslay Dschgs, (2) 1-1/2", Over Pump Panel, NST 200 ft x1-3/4-in ea w/divider |
| 21-01-2502 | | 2 | -- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only |
| 24-61-1200 | | 2 | -- Vlv Mfger, AKR, 8000, (2") |
| 26-17-1050 | > | 2 | -- Sealed Lever Banks - Cable Cntrls, AKR (EACH) |
| 27-02-0100 | | 2 | -- === PSI Only Dschg Pressure Gauges === |
| 27-02-1500 | > | 2 | -- Gauge, Dschg, IC, 2-1/2" 400#, WF |
| 23-07-2100 | | 1 | -- Crosslay Dschg, (1) 2-1/2", Over Pump Panel, NST 150 ft of 2-1/2-in each |
| 21-01-2202 | | 1 | -- Drain/Bleeder, Class 1, Automatic - Spec Only |
| 24-01-1000 | | 1 | -- === Special Dschg Adapters - Pick to Select === |
| 24-61-1250 | | 1 | -- Vlv Mfger, AKR, 8000, (2-1/2") |
| 26-17-1050 | > | 1 | -- Sealed Lever Banks - Cable Cntrls, AKR (EACH) |
| 27-02-0100 | | 1 | -- === PSI Only Dschg Pressure Gauges === |
| 27-02-1500 | > | 1 | -- Gauge, Dschg, IC, 2-1/2" 400#, WF |
| 23-08-3300 | | 1 | -- Crosslay Cvr, Alum T/P, Sngl, W/Vinyl End Flaps (Non NFPA Walking Surface) |
| 29-20-5600 | | 1 | -- Vinyl Cover, Color, RED |
| 23-08-4100 | | 1 | -- Crosslay Rollers, "U" Shaped, Both Sides |
| 23-08-5019 | | 1 | -- Crosslay Dschgs, Over Pump Panel, Normal Height |
| 23-09-4100 | | 2 | Dschg, 2-1/2", Left Side, Pump Panel, NST |
| 21-01-2502 | | 2 | -- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only |
| 24-02-1200 | | 2 | -- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome |
| 24-03-1400 | | 2 | -- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain |
| 24-61-1250 | | 2 | -- Vlv Mfger, AKR, 8000, (2-1/2") |
| 26-17-1050 | > | 2 | -- Sealed Lever Banks - Cable Cntrls, AKR (EACH) |
| 27-02-0100 | | 2 | -- === PSI Only Dschg Pressure Gauges === |
| 27-02-1500 | > | 2 | -- Gauge, Dschg, IC, 2-1/2" 400#, WF |
| 23-10-4100 | | 1 | Dschg, 2-1/2", Right Side, Pump Panel, NST |
| 21-01-2502 | | 1 | -- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only |
| 24-02-1200 | | 1 | -- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome |
| 24-03-1400 | | 1 | -- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain |
| 24-61-1250 | | 1 | -- Vlv Mfger, AKR, 8000, (2-1/2") |
| 26-17-1050 | > | 1 | -- Sealed Lever Banks - Cable Cntrls, AKR (EACH) |
| 27-02-0100 | | 1 | -- === PSI Only Dschg Pressure Gauges === |
| 27-02-1500 | > | 1 | -- Gauge, Dschg, IC, 2-1/2" 400#, WF |

| PART NO | S | QTY | DESCRIPTION |
|------------|---|-----|---|
| 23-10-5200 | | 1 | Dschg, 3" x 4"NST, Right Side, Pump Panel, NST |
| 21-01-2502 | | 1 | -- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only |
| 24-02-2600 | | 1 | -- Elbow, LW Alum, 5" Storz x 4"F |
| 24-03-2200 | | 1 | -- Cap, LW Alum, 5" Storz, w/Cable |
| 24-61-1300 | | 1 | -- Vlv Mfger, AKR, 8000, (3") |
| 26-17-1054 | > | 1 | -- Sealed Lever Banks - Cable Cntrls, AKR Slow Cls (EACH) |
| 27-02-0100 | | 1 | -- === PSI Only Dschg Pressure Gauges === |
| 27-02-1500 | > | 1 | -- Gauge, Dschg, IC, 2-1/2" 400#, WF |
| 24-10-1300 | > | 1 | Aerial Dschg/Inlet, 4", Rear, 4" NSTM w/4" Cap, 1-1/2" Drain |
| 21-01-2500 | | 1 | -- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn |
| 24-03-1700 | | 1 | -- Cap, 4", Chrome, Rocker Lug, w/Chain |
| 24-61-2420 | | 1 | -- Vlv Mfger, ELK, (4"), Electric |
| 24-54-4020 | | 1 | -- Vlv Cntrl, ELK, Electric, APEX200 w/Pressure |
| 27-03-9100 | | 1 | -- Meter, Pressure, English, PSI |
| 25-01-0010 | > | 1 | Foam System Provisions, Future Installation, Dept or Dealer Installed |
| 25-20-1200 | | 1 | -- Foam Plmbg, Sngl Class A Tank, 1" Mnl Vlv |
| 25-21-1300 | | 1 | -- Foam Tank, Intgrl Poly, 20 Gal, Class A |
| 25-22-9100 | | 1 | -- Foam Tank, No Manufacturer Preference |
| 25-23-1000 | | 1 | -- Foam Tank Drain, 1" Gate Vlv, Under Tank |
| 27-36-1100 | | 1 | -- Foam Tank Gauge, FRC TankVision Pro 300, Class A, Pump Panel |
| | | | #WLA360-A00 |
| | | 1 | === EXT Aerial - Side Mount Pump Cmpt - 22.019 02/18/19 === |
| 26-02-1600 | | 1 | Pump Enc, Side Mt, Extrd Alum, Aerial |
| 26-10-2100 | | 1 | Pump Enc Cmpt, SM, Dnnge Over Pump, Open |
| 26-30-1110 | | 1 | Rng Brd, LH Pump Panel, Alum T/P, SM Aerial |
| 26-30-3010 | | 1 | -- Step, Slide-Out, Alum Grating, LH Pump Panel, Pin & Slot, EXT |
| 26-30-1150 | | 1 | Rng Brd, RH Pump Panel, Alum T/P, SM |
| 26-31-1110 | | 1 | Gauge Panel, Upper LH, S/S, EXT |
| 26-31-1300 | | 1 | Pump Side Access Door, Upper RH, S/S |
| 26-35-3210 | | 1 | Pump Panel, Stnls Stl, LH/RH, SM, EXT |
| 26-35-1100 | | 1 | -- Pump Panel, Bltd, LH |
| 26-35-1150 | | 1 | -- Pump Panel, Recessed, Lower, LH, EXT |
| 26-35-1200 | | 1 | -- Pump Panel, Bltd, RH |
| 26-35-1250 | | 1 | -- Pump Panel, Recessed, Lower, RH, EXT |
| 26-55-1100 | | 1 | Labels, Test Data and Safety Placards |
| 26-55-2410 | | 1 | Labels, IC Color Coded, EXT |
| 26-56-1130 | | 1 | Pump Panel Lt, Midship LH, (3) Grote #01-61F8-70 Low Profile, LED |
| 26-56-1230 | | 1 | Pump Panel Lt, Midship RH, (3) Grote #01-61F8-70 Low Profile, LED |
| 27-01-0100 | | 1 | === PSI Only Mstr Pressure Gauges === |
| 27-01-1500 | > | 1 | -- Mstr Gauges, IC, 4" PSI, Pr |
| 27-01-4100 | > | 1 | Gauge, Test Taps |
| 27-35-1100 | | 1 | Water Tank Gauge, FRC, TankVision Pro 300, Pump Panel WLA300-A00 |
| | | 1 | === EXT TA RM Aerial/Platform w/ SideBed - 22.019 02/18/19 === |
| 25-28-2120 | > | 1 | Water Tank, 400 Gal, Aerial, Poly, Rect |
| 25-42-1100 | > | 1 | -- Water Tank, Base Specs, Poly |
| 25-42-1190 | | 1 | -- Water Tank, Manufacturer, No Preference, Poly |
| 25-44-1700 | | 1 | -- Water Tank, Fill Tower, 10" x 10", EXT |
| 25-50-1400 | | 1 | -- Water Tank Clean-out & Plug, 3" |
| | | 1 | AERIAL/PLATFORM - REAR MT TANDEM AXLE - EXT |
| 00-01-5100 | | 1 | -- Chs Requirements, Ladder |
| 00-01-5200 | | 1 | -- Bdy Requirements, Ladder, Four (4) Outriggers |
| 00-01-5190 | > | 1 | -- Outrigger Pad Storage, Dual, One (1) Each Side |
| 00-01-5202 | | 1 | -- Harness, Safety, Class I, NFPA Compliance, Customer |
| 30-01-2050 | | 1 | -- Bdy Const - Rosenbauer EXT - Aerial |
| 30-01-2250 | | 1 | -- Electrolysis Corrosion Cntrl |
| 30-02-1960 | | 1 | -- Side Body Header, Alum, Pntd, Tndm Axle, EXT |
| 44-06-1200 | | 1 | -- Whl Well Panel, Alum, Pntd, Tndm Axle |
| 44-06-4320 | | 2 | -- Fenderette, Polished Stainless Steel, EXT |
| 40-40-5200 | | 1 | -- Bdy Sub-Structure, EXT, Tndm Axle |
| 44-06-5240 | | 1 | -- Outrigger Bdy Panels w/ Secondary Covers, Alum, Pntd |

| PART NO | S | QTY | DESCRIPTION |
|------------|-------|-----|---|
| 30-01-3130 | > | 1 | -- Cover, Outrigger, Pntd Alum |
| | | 1 | AERIAL / PLATFORM HOSEBEDS - SIDE HOSEBED - EXT |
| 41-39-1350 | S < | 1 | -- Hosebed, Aerial, Right Hand Side Load, EXT Hose chute access door to be cut into officer side hose chute.. Door is to be hinged to ease access to loading hose. |
| 41-39-2150 | | 1 | -- Hosebed, Grating, Extrd Alum, Aerial, EXT |
| 41-40-1100 | | 1 | -- Hosebed Cvr, Vinyl, Side Load Aerial/Pltfrm, Velcro |
| 29-20-5600 | | 1 | -- Vinyl Cover, Color, RED |
| 40-42-5030 | > | 1 | 100" OAW, 24"/22", Full Dpth/LwrDpth, TA RM Arl/Pltfrm |
| 40-42-5142 | > | 1 | Hngd/Roll Up Combo, TA RMA, Side Bed |
| 30-02-1800 | | 1 | -- Drs, Hngd/Roll-Up Combination Specs, EXT |
| 30-02-1260 | > | 7 | -- Dr Strap, EZ-Pull Down, Ea |
| 30-02-1521 | > | 7 | -- Dr Handle, Eberhard 21100 Series, Black, Hngd Drs (Ea) |
| | | 1 | LEFT SIDE COMPARTMENTATION |
| 40-61-2420 | S < > | 1 | -- L1 Abv Frnt Outrigger, Sngl Cmpt, Roll Up Otsd Cmpt, 23" 23" Wide Compartment |
| 44-40-1020 | | 2 | -- Vents, Compts, Louvers (Ea) |
| 55-01-1800 | | 1 | -- Cmpt Lt, Wall, Rcsd LED, (2) Ea Cmpt |
| 55-06-1100 | > | 1 | -- Cmpt Lt, Dr Swtch, Auto, Ea |
| 40-62-3460 | S < > | 1 | -- L2 Ahd Rr Whls, Full Ht Cmpt, Roll Up Otsd Cmpt, 33" 33" Wide Compartment |
| 44-40-1020 | | 2 | -- Vents, Compts, Louvers (Ea) |
| 55-01-3625 | | 1 | -- RBA InVisiLight, 56" Rcsd, ShvIng, Sides (2) Ea Cmpt, EXT |
| 55-01-3650 | | 1 | -- === NO RBA InVisiLight, Ceiling, EXT - PTS === |
| 55-06-1100 | > | 1 | -- Cmpt Lt, Dr Swtch, Auto, Ea |
| 40-64-6430 | S < > | 1 | -- L3 Abv Frnt Tndm, Uppr Cmpt, Roll Up Otsd Cmpt, 83" 83" Wide Compartment |
| 44-40-1020 | | 2 | -- Vents, Compts, Louvers (Ea) |
| 55-01-3605 | | 1 | -- RBA InVisiLight, 17" Rcsd, ShvIng, Sides (2) Ea Cmpt, EXT |
| 55-01-3650 | | 1 | -- === NO RBA InVisiLight, Ceiling, EXT - PTS === |
| 55-06-1100 | > | 1 | -- Cmpt Lt, Dr Swtch, Auto, Ea |
| 40-65-5010 | S < > | 1 | -- L4 Abv Rr Tndm, Uppr Cmpt, Hngd Lift Up Dr, 33" 33" Wide Compartment |
| 44-40-1020 | | 2 | -- Vents, Compts, Louvers (Ea) |
| 55-01-3605 | | 1 | -- RBA InVisiLight, 17" Rcsd, ShvIng, Sides (2) Ea Cmpt, EXT |
| 55-01-3650 | | 1 | -- === NO RBA InVisiLight, Ceiling, EXT - PTS === |
| 55-06-1100 | > | 1 | -- Cmpt Lt, Dr Swtch, Auto, Ea |
| 40-66-5010 | S < > | 1 | -- L5 Abv Rr Outrigger, Uppr Cmpt, Hngd Lift Up Dr, 33" 33" Wide Compartment |
| 44-40-1020 | | 2 | -- Vents, Compts, Louvers (Ea) |
| 55-01-3600 | | 1 | -- RBA InVisiLight, 11" Rcsd, ShvIng, Sides (2) Ea Cmpt, EXT |
| 55-01-3650 | | 1 | -- === NO RBA InVisiLight, Ceiling, EXT - PTS === |
| 55-06-1100 | > | 1 | -- Cmpt Lt, Dr Swtch, Auto, Ea |
| 40-67-3416 | S < > | 1 | -- L6 Bhnd Rr Whls, Low Cmpt, Hngd Dble Dr, 24" 24" Wide Compartment |
| 44-40-1020 | | 2 | -- Vents, Compts, Louvers (Ea) |
| 55-01-3605 | | 1 | -- RBA InVisiLight, 17" Rcsd, ShvIng, Sides (2) Ea Cmpt, EXT |
| 55-01-3650 | | 1 | -- === NO RBA InVisiLight, Ceiling, EXT - PTS === |
| 55-06-1100 | > | 1 | -- Cmpt Lt, Dr Swtch, Auto, Ea |
| 40-68-2500 | S < > | 1 | -- Bhnd Rr Outrigger, Turntable Access, Alum T/P, 19" 19" Wide Cavity |
| 40-96-1600 | < > | 1 | -- Access Ladder, Aerial, LH, Swing Out & Down, 17"W add the magnetic retention |

| PART NO | S | QTY | DESCRIPTION |
|------------|-------|-----|--|
| 33-70-1230 | S < > | 1 | -- Handrails, EZ-Climb Ladder, 30", Pair Black |
| 54-10-1300 | | 2 | -- Step Lt, Fxd /Fldg Step, LED, Ea |
| | | 1 | RIGHT SIDE COMPARTMENTATION |
| 40-71-2420 | S < > | 1 | -- R1 Abv Frnt Outrigger, Sngl Cmpt, Roll Up Otsd Cmpt, 23" 23" Wide Compartment |
| 44-40-1020 | | 2 | -- Vents, Compts, Louvers (Ea) |
| 55-01-1800 | | 1 | -- Cmpt Lt, Wall, Rcscd LED, (2) Ea Cmpt |
| 55-06-1100 | > | 1 | -- Cmpt Lt, Dr Swtch, Auto, Ea |
| 40-72-3460 | S < > | 1 | -- R2 Ahd Rr Whls, Full Ht Cmpt, Roll Up Otsd Cmpt, 33" 33" Wide Compartment |
| 44-40-1020 | | 2 | -- Vents, Compts, Louvers (Ea) |
| 55-01-3625 | | 1 | -- RBA InVisiLight, 56" Rcscd, ShvIng, Sides (2) Ea Cmpt, EXT |
| 55-01-3650 | | 1 | -- === NO RBA InVisiLight, Ceiling, EXT - PTS === |
| 55-06-1100 | > | 1 | -- Cmpt Lt, Dr Swtch, Auto, Ea |
| 40-74-6430 | S < > | 1 | -- R3 Abv Frnt Tndm, Uppr Cmpt, Roll Up Otsd Cmpt," 83" Wide Compartment |
| 44-40-1020 | | 2 | -- Vents, Compts, Louvers (Ea) |
| 55-01-3605 | | 1 | -- RBA InVisiLight, 17" Rcscd, ShvIng, Sides (2) Ea Cmpt, EXT |
| 55-01-3650 | | 1 | -- === NO RBA InVisiLight, Ceiling, EXT - PTS === |
| 55-06-1100 | > | 1 | -- Cmpt Lt, Dr Swtch, Auto, Ea |
| 40-77-3416 | S < > | 1 | -- R4 Bhnd Rr Whls, Low Cmpt, Hngd Dble Dr, 33" 33" Wide Compartment |
| 44-40-1020 | | 2 | -- Vents, Compts, Louvers (Ea) |
| 55-01-3605 | | 1 | -- RBA InVisiLight, 17" Rcscd, ShvIng, Sides (2) Ea Cmpt, EXT |
| 55-01-3650 | | 1 | -- === NO RBA InVisiLight, Ceiling, EXT - PTS === |
| 55-06-1100 | > | 1 | -- Cmpt Lt, Dr Swtch, Auto, Ea |
| 40-78-2510 | S < > | 1 | -- R5 Bhnd Rr Outrigger, Low Cmpt, Hngd Sngl Dr, 19" 19" Wide Compartment |
| 44-40-1020 | | 2 | -- Vents, Compts, Louvers (Ea) |
| 55-01-3605 | | 1 | -- RBA InVisiLight, 17" Rcscd, ShvIng, Sides (2) Ea Cmpt, EXT |
| 55-01-3650 | | 1 | -- === NO RBA InVisiLight, Ceiling, EXT - PTS === |
| 55-06-1100 | > | 1 | -- Cmpt Lt, Dr Swtch, Auto, Ea |
| 40-95-1100 | | 1 | Rr Aerial Bdy Configuration, Hngd Lift Up Dr, EXT |
| 55-01-3360 | | 1 | -- Cmpt Lt, Wall, OSS Access, 18" LED Tube Lt, (2) Ea Cmpt |
| 55-06-1100 | | 1 | -- Cmpt Lt, Dr Swtch, Auto, Ea |
| | | 1 | EQUIPMENT - BODY MOUNTED - EXT AERIAL/PLATFORM |
| 90-02-3660 | | 1 | -- Ladder Strge, Rr Slide, Torque Box, EXT Aerial/Platform |
| 90-03-0210 | | 1 | -- Ladders, Ground, Provd'd By Manufacturer, Axl/Pltfrm, MN |
| 90-03-3300 | | 1 | -- Ladder, Roof, Duo-Safety, 14' Alum 775-A |
| 90-03-3400 | | 1 | -- Ladder, Roof, Duo-Safety, 16' Alum 875-A |
| 90-06-4600 | | 1 | -- Ladder, Ext, Duo-Safety, 24' Alum, 2 Sect 900-A |
| 90-07-4300 | | 1 | -- Ladder, Ext, Duo-Safety, 35' Alum, 3 Sect 1225-A |
| 90-03-0230 | | 1 | -- Ladders, Fldg Attic, Provd'd By Manufacturer, MN |
| 90-08-2600 | | 1 | -- Ladder, Attic, Duo-Safety, 10' Alum, Fold 585-A |
| 90-16-5420 | | 8 | -- Pike Pole Mounting Tube, In Ladder Cmpt |
| 90-16-6210 | > | 1 | -- Pike Pole Provd'd By, Dealer, Aerial/Platform |
| 90-16-2299 | | 2 | -- Non-Bdy Bldr Supl'd Pike Pole, 4' Fbrgls, "D" Hndl |
| 90-16-2399 | | 2 | -- Non-Bdy Bldr Supl'd Pike Pole, 6' Fbrgls, Round Hndl |
| 90-16-2699 | | 2 | -- Non-Bdy Bldr Supl'd Pike Pole, 8' Fbrgls, Round Hndl |
| 90-16-2899 | | 2 | -- Non-Bdy Bldr Supl'd Pike Pole, 10' Fbrgls, Round Hndl |
| | | 1 | REAR STEP - EXT AERIAL/PLATFORM |
| 44-02-2100 | | 1 | -- Rub Rails, Rr Bdy, EXT, Extrd Alum |
| 44-11-5150 | | 1 | Whl Well Cmpt, Ahd of Whls Left Side, EXT |

| PART NO | S | QTY | DESCRIPTION |
|------------|-----|-----|---|
| 44-10-2600 | > | 1 | -- Whl Well Cmpt, Triple SCBA Tube, Brshd S/S Dr |
| 44-10-6000 | | 3 | -- Whl Well Cmpt, SCBA Cmpt Straps |
| 44-11-5250 | | 1 | Whl Well Cmpt, Btwn Tndms Left Side, EXT |
| 44-10-2710 | S > | 1 | -- Whl Well Cmpt, Open Storage, W/ Brus SS Dr |
| 44-10-6000 | | 3 | -- Whl Well Cmpt, SCBA Cmpt Straps |
| 44-11-5350 | | 1 | Whl Well Cmpt, Bhnd Whls Left Side, EXT |
| 44-07-1700 | < | 1 | -- Fuel Fill Door Assy, BSST, Poly Pckt, LH Whl Wll Pnl, (Fire Shopp) Mounted in the lower SCBA tube |
| 44-10-2600 | > | 1 | -- Whl Well Cmpt, Triple SCBA Tube, Brshd S/S Dr |
| 44-10-6000 | | 3 | -- Whl Well Cmpt, SCBA Cmpt Straps |
| 44-11-5550 | | 1 | Whl Well Cmpt, Ahd of Whls Right Side, EXT |
| 44-10-2600 | > | 1 | -- Whl Well Cmpt, Triple SCBA Tube, Brshd S/S Dr |
| 44-10-6000 | | 3 | -- Whl Well Cmpt, SCBA Cmpt Straps |
| 44-11-5650 | | 1 | Whl Well Cmpt, Btwn Tndms Right Side, EXT |
| 44-10-2600 | > | 1 | -- Whl Well Cmpt, Triple SCBA Tube, Brshd S/S Dr |
| 44-10-6000 | | 3 | -- Whl Well Cmpt, SCBA Cmpt Straps |
| 44-11-5750 | | 1 | Whl Well Cmpt, Bhnd Whls Right Side, EXT |
| 44-10-2600 | < > | 1 | -- Whl Well Cmpt, Triple SCBA Tube, Brshd S/S Dr fuel in lower position |
| 44-07-1700 | | 1 | -- Fuel Fill Door Assy, BSST, Poly Pckt, LH Whl Wll Pnl, (Fire Shopp) |
| 44-10-6000 | | 2 | -- Whl Well Cmpt, SCBA Cmpt Straps |
| | | 1 | == EXT Aerial/Platform Common Body Part - 22.019 02/18/19 == |
| 33-66-2160 | > | 1 | -- Steps, Fldg, Frnt, Right Hand (4), Integral LED Lts |
| 33-70-3600 | | 1 | -- Handrails, Pmpr, Top of Bdy Sides, Frnt, 12", Pair |
| 44-01-1400 | | 1 | -- Bdy Trim, Frnt Bdy, Ht of Side Cmpts, Alum T/P |
| 44-01-4020 | | 1 | -- Bdy Trim, Rr Bdy, Smooth Alum for Chevron Stripe, EXT |
| 41-45-1300 | | 1 | -- Handrails, Aerial/Pltfrm, Turntable Access, Vert, 30", Pair |
| 44-02-1120 | | 1 | -- Rub Rails, Lwr Bdy, EXT, Extrd Alum |
| | | 1 | == EXT Aerial - AC Electrical System - 22.019 02/18/19 == |
| | | 1 | == EXT Aerial - Equipment Systems - 22.019 02/18/19 == |
| | | 1 | == EXT TA Aerial - Pnt/Ltr/Str - 22.019 02/18/19 == |
| 80-05-5300 | | 1 | Bdy Paint, Aerial, Sngl Color, EXT |
| 80-32-1350 | | 1 | Cmpt Finish, DA Sanded, Up to 10 Cmpts, EXT |
| 80-40-1250 | | 1 | Whl Finish, By Chassis Manufacturer |
| 80-42-1500 | | 1 | Bdy Paint, Touch Up, 2 oz. Bttl, One Color |
| 80-50-1200 | | 1 | Lettering Supl'd by Purchaser |
| 80-50-4314 | | 1 | Aerial Sign Panel, 16"x133" |
| 80-50-4342 | | 1 | -- Sign Panels Painted Match Lower Cab |
| 80-50-5110 | > | 1 | Aerial Cylinder Panels, Pntd, EXT |
| 80-50-5140 | | 1 | -- Aerial Cylinder Panels, Pntd Lower Job Color, EXT |
| 80-70-2000 | > | 1 | Stripe, Sngl Reflective, 6", "Z" Design |
| 80-75-1600 | | 1 | -- Reflective Stripe Material, White |
| 80-72-1100 | | 1 | Stripe, Reflective 3M, Chevron Pattern Entire Rr Red/Yellow |
| 80-72-1400 | | 2 | Stripe, Reflective, Aerial Outriggers, Both Sides of Ea White |
| 80-72-1800 | | 1 | Stripe, Reflect, Chevron Pattern, Rear Roll Up Door , Red/ Yellow |
| 80-72-1998 | | 1 | ==== No Interior Door Reflective Chevron === |
| 80-79-1000 | | 1 | NFPA Standing / Walking Surfaces Yellow Safety Tape (NFPA 15.7.1.6) |
| 80-80-1200 | | 1 | Labels, Aerial Ladder Identification and Safety |
| | | 1 | == EXT Aerial - Loose Equipment - 22.019 02/18/19 == |
| 90-01-0350 | | 1 | Equipment Loading Allowance of 2500# |
| 90-01-5900 | | 1 | Whl Chocks Pair Zico #SAC-44 Fldg w/ Mts |